



Features

- 10-inch cast-frame woofer with pure pulp cone
- 5-inch polymer-coated midrange with pure-pulp cone
- 1.5-inch ring radiator mated to a die-cast aluminum waveguide with phase plug
- Adjustable midrange and high-frequency attenuators
- Bass-reflex design with dual front-firing ports
- Walnut veneer finish with blue baffle and blue grille

Specifications

- ▶ Description: 3-way Studio Monitor Loudspeaker
- ▶ Low-frequency Transducer: 10-inch (250mm) white pure-pulp cone woofer
- ▶ Mid-frequency Transducer: 5-inch (125mm), polymer-coated pure-pulp cone
- ▶ High-frequency Transducer: 1.5-inch (37.5mm) ring radiator with dual-layer laminated, tangentially creased diaphragm
- ▶ Frequency Response: 45Hz – 45kHz (-6dB)
- ▶ Sensitivity: 91dB (2.83V/1m)
- ▶ Maximum Recommended Amplifier Power: 150 Watts RMS
- ▶ Crossover Frequencies: 1.5kHz, 6.5kHz
- ▶ Nominal Impedance: 6 Ohm
- ▶ Controls: Continuously variable midrange and high-frequency attenuators
- ▶ Dimensions (H x W x D): 21.45 x 12.9 x 11.8" (545 x 328 x 300mm)
- ▶ Weight: 36.6 lbs (16.6kg)

JBL 4307

