


Low Frequency EQ Settings
Sound Pressure Level




MODEL


D8is SUBWOOFER



APP Control - iOS and Android



Advanced APP User interface - customizable turn-on controls and input selection, multiple PEQ's with presets.








TECHNICAL SPECIFICATIONS

Alignment	Acoustic suspension
Amplifier	3000W rms
Display Interface	2.8" LCD color touchscreen
App	iOS and Android
Processor	32-bit ARM Cortex M4, double precision floating point math
DSP Engine	Ti DSP 48-bit data paths
Driver compliment	(8)215mm (8.5"), Carbon fiber diaphragm +/-18.0mm linear excursion
Reference sensitivity	97.0 dB /150mV/ 1.0m
Frequency Response	THX EQ 20-290Hz (-6dB) / 16-330Hz (-10dB) Boost (Large Room) EQ 16-290Hz (-6dB) / 14-330Hz (-10dB) Cut (Small Room) EQ 25-290Hz (-6dB) / 19-330Hz (-10dB)
Inputs	(1) Balanced XLR (1) Unbalanced RCA
Outputs	(1) Balanced XLR unbuffered (1) Unbalanced RCA unbuffered (1) Digital AES/2
Parametric EQ	10-Band PEQ with 3 user presets
Low Pass filter	bypass, 30-160Hz, slope 6,12,18,24dB/oct
Phase	variable 0-270°
Polarity	normal / inverted
Configurable Auto turn-on and 12v Trigger	XLR, RCA
Subwoofer Dimensions overall (HxWxD) *see architectural drawing	1137.6 x 508.0 x 238.6mm (without brackets) 44.8 x 20.0 x 9.4"
Amplifier Dimensions overall (HxWxD) *see architectural drawing	89.0 x 429.2 x 322.4mm 3.5 x 16.9 x 12.7"
Weight	NW subwoofer 103.8 kg (228.4 lbs) NW amplifier 6.1 kg (13.4 lbs) GW packaged 191.1 kg (422.2 lbs)
Available Finishes	Black anodized aluminum matte black


DESCRIPTION

D8is - In its own class. The D8is calls upon all of Perlisten's work over the past decade to create yet another level of fidelity. Push-Pull, of course, for the ultimate in linearity, dynamics and power all at the lowest levels of distortion. Utilizing a unique array of (8)215mm or 8.5" drivers. The new woofer array accomplishes mechanical force cancelling. With each side of the woofer array acoustically 'in phase' and mechanically 'out of phase'. The force of each driver's motion cancels the force of its opposing complement. This all results in a dramatic reduction of cabinet vibrations at all frequencies. We have incorporated a proprietary, versatile vibration isolation mounting solution - In-Room, In-Wall or On-Wall, we have thought about all applications as well as creating a superb solution for Waveforming. Driven by our DSP3000A 3kW amplifier and custom DSP, now with the addition of a digital input. Housed in a hybrid aluminum/steel chassis and front facing 2.8" color touchscreen, the amp can be conveniently located on display in-room or hidden away in a separate room with other rack mounted components.

Notes:



DETAIL A
SCALE 1 : 2



steel base attached to
vibration isolation bracket


NAME	DATE	
	12/20/2024	<i>perlisten listening experience</i>
		TITLE: Sheet1 - Hi-Fi
SIZE	DWG. NO.	REV
A	Perlisten_D8is_Architectural	1
SCALE: 1:20		SHEET 1 OF 3

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
PERLISTEN AUDIO, LLC. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN
PERMISSION OF PERLISTEN AUDIO, LLC IS
PROHIBITED.

DIMENSIONS ARE IN MILLIMETERS
DO NOT SCALE DRAWING


REVISIONS	
REV.	DESCRIPTION
1	initial
DATE	
20-Dec-2024	

1. Outer (4x) brackets spaced 16" O.C.
2. Inner (2x) brackets centered




PERLISTEN conceptual listening experience		NAME		DATE	
				12/20/2024	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PERLISTEN AUDIO, LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PERLISTEN AUDIO, LLC IS PROHIBITED.				TITLE: Sheet2 - ON-WALL	
SIZE		DWG. NO.		REV	
A		Perlisten_D8is_Architectural		1	
DRAWING SCALE IN ARCHITECTS PROJECTION				SCALE: 1:20	
REVISIONS		SHEET 2 OF 3			
REV.	DESCRIPTION	DATE			
9	re-design	20241002			


Notes:




Adjustable brackets for
24 - 29" O.C. studs




Eye-Bolt



1346.3mm
[53"]



bracket orientation
can be up or down



REVISIONS <table><tr><th>REV.</th><th>DESCRIPTION</th><th>DATE</th></tr><tr><td>9</td><td>re-design</td><td>20241002</td></tr></table>		REV.	DESCRIPTION	DATE	9	re-design	20241002	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PERLISTEN AUDIO, LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PERLISTEN AUDIO, LLC IS PROHIBITED. DIMENSIONS ARE IN MILLIMETERS DO NOT SCALE DRAWING		NAME DATE		PERLISTEN perceptual listening experience	
		REV.	DESCRIPTION	DATE									
		9	re-design	20241002									
TITLE: Sheet3 - CI (IN-WALL)		SIZE A		DWG. NO. Perlisten_D8is_Architectural		REV 1							
SCALE: 1:20		SHEET 3 OF 3											

REVISIONS		
REV.	DESCRIPTION	DATE
1	initial drawing	26-Mar-2025

D

D

C







C

B

B

A

A




Notes:

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
PERLISTEN AUDIO, LLC. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN
PERMISSION OF PERLISTEN AUDIO, LLC IS
PROHIBITED.

DIMENSIONS ARE IN MILLIMETERS
DO NOT SCALE DRAWING


NAME	DATE	 perlisten listening experience
	3/26/2025	
TITLE:		STANDARD MOUNTING
SIZE	DWG. NO.	REV
A	DSP1500A & DSP3000A_Architectural	1
SCALE: 1:7		SHEET 1 OF 2



REVISIONS

REV.	DESCRIPTION	DATE
1	initial drawing	26-Mar-2025

Notes:

 perlisten listening experience		NAME	DATE
			3/26/2025
		TITLE: RACK MOUNTING	
SIZE A	DWG. NO. DSP1500A & DSP3000A_Architectural	REV 1	
SCALE: 1:10		SHEET 2 OF 2	

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
PERLISTEN AUDIO, LLC. ANY
REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN
PERMISSION OF PERLISTEN AUDIO, LLC IS
PROHIBITED.

DIMENSIONS ARE IN MILLIMETERS
DO NOT SCALE DRAWING