


Retail Price List - Valid From April 2024

In-akustik is a brand of high-performance AV cables and connectors engineered and hand-built in Germany since 1977. Guided by the mantra “physics not voodoo” In-akustik mixes the latest science with the best materials and meticulous German engineering and innovation to minimise signal loss in the cable. As its website confirms “the best cable is not the one that gets the most out of a system, but the one that loses the least of the original signal. Cables act like antennae and attract external interference which can only be minimised with technical finesse and the finest materials”.



AIR HELIX TECHNOLOGY

The laws of nature cannot be switched off. A cable, like a battery, stores energy temporarily and releases it again with a delay. This effect strongly influences the transmission of audio signals and is undesirable. Cable capacitance is affected by the insulation material, the so-called dielectric, which can increase the capacity many times over. Air on the other hand does not do this and is therefore the ideal insulator. The air-helix construction is wholly unique. In-akustik has developed a special clip to ensure air insulation that is as close to perfection as possible. A large number of these clips form the supporting structure on the inside of the cable. This holds the signal conductor free in the air in a helix

form and guides it through the cable at defined intervals. The flexibility of this construction is attained with two bridges that hold the clips together evenly and at exact intervals.

HANDMADE

In-akustik has long set the bar very high in regard to quality because cables and connections are extremely sensitive. Physical phenomena that arise during the transmission of signals can only be controlled with technical finesse and the best materials. For this reason, all cables are manufactured in a German cable mill and finished by hand at In-akustik.

LOUDSPEAKER CABLES

RETAIL
ex VAT

RETAIL
inc VAT

LS-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound



LS-1205	Ref LS-1205 AIR 2x3m BFA			£1,999.17	£2,399.00
LS-1205	Ref LS-1205 AIR 2x3m Spade			£1,999.17	£2,399.00
LS-1205	Ref LS-1205 AIR Pure Silver 2x3m BFA			£10,415.83	£12,499.00
LS-1205	Ref LS-1205 AIR Pure Silver 2x3m Spade			£10,415.83	£12,499.00

Retail Price List - Valid From April 2024

LOUDSPEAKER CABLES

RETAIL
ex VAT

RETAIL
inc VAT

LS-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- BFA banana & spade lug 360° adjustable



LS-2405	Ref LS-2405 AIR 2x3m BFA SW			£3,999.17	£4,799.00
LS-2405	Ref LS-2405 AIR 2x3m BFA SBW			£4,332.50	£5,199.00
LS-2405	Ref LS-2405 AIR 2x3m Spade SW			£3,999.17	£4,799.00
LS-2405	Ref LS-2405 AIR 2x3m Spade SBW			£4,332.50	£5,199.00
LS-2405	Ref LS-2405 AIR Pure Silver 2x3m SW			£17,915.83	£21,499.00
LS-2405	Ref LS-2405 AIR Pure Silver 2x3m SBW			£18,332.50	£21,999.00

LS-4005 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit



LS-4005	Ref LS-4005 AIR 2x3m BFA SW			£6,499.17	£7,799.00
LS-4005	Ref LS-4005 AIR 2x3m BFA SBW			£6,832.50	£8,199.00
LS-4005	Ref LS-4005 AIR 2x3m Spade SW			£6,499.17	£7,799.00
LS-4005	Ref LS-4005 AIR 2x3m Spade SBW			£6,832.50	£8,199.00
LS-4005	Ref LS-4005 AIR Pure Silver 2x3m SW			£29,582.50	£35,499.00
LS-4005	Ref LS-4005 AIR Pure Silver 2x3m SBW			£29,999.17	£35,999.00

Retail Price List - Valid From April 2024

AUDIO CABLES

RETAIL
ex VAT

RETAIL
inc VAT

NF-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



NF-1205	Ref NF-1205 AIR RCA 1,0m			£815.83	£979.00
NF-1205	Ref NF-1205 AIR RCA 1,5m			£1,082.50	£1,299.00
NF-1205	Ref NF-1205 AIR RCA 2,0m			£1,349.17	£1,619.00
NF-1205	Ref NF-1205 AIR XLR 1,0m			£1,082.50	£1,299.00
NF-1205	Ref NF-1205 AIR XLR 1,5m			£1,374.17	£1,649.00
NF-1205	Ref NF-1205 AIR XLR 2,0m			£1,665.83	£1,999.00
NF-1205	Ref NF-1205 AIR Pure Silver XLR 1,0m			£2,499.17	£2,999.00
NF-1205	Ref NF-1205 AIR Pure Silver XLR 1,5m			£3,499.17	£4,199.00
NF-1205	Ref NF-1205 AIR Pure Silver XLR 2,0m			£4,499.17	£5,399.00
NF-1205	Ref PHONO 1205 AIR SME-RCA 1,0m			£832.50	£999.00
NF-1205	Ref PHONO 1205 AIR SME-RCA 1,5m			£1,040.83	£1,249.00
NF-1205	Ref PHONO 1205 AIR SME-RCA 2,0m			£1,249.17	£1,499.00

Retail Price List - Valid From April 2024

AUDIO CABLES

RETAIL
ex VAT

RETAIL
inc VAT

NF-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



NF-2405	Ref NF-2405 AIR RCA 1,0m			£1,457.50	£1,749.00
NF-2405	Ref NF-2405 AIR RCA 1,5m			£2,082.50	£2,499.00
NF-2405	Ref NF-2405 AIR RCA 2,0m			£2,707.50	£3,249.00
NF-2405	Ref NF-2405 AIR XLR 1,0m			£1,540.83	£1,849.00
NF-2405	Ref NF-2405 AIR XLR 1,5m			£2,207.50	£2,649.00
NF-2405	Ref NF-2405 AIR XLR 2,0m			£2,874.17	£3,449.00
NF-2405	Ref NF-2405 AIR Pure Silver RCA 1,0m			£3,249.17	£3,899.00
NF-2405	Ref NF-2405 AIR Pure Silver RCA 1,5m			£4,582.50	£5,499.00
NF-2405	Ref NF-2405 AIR Pure Silver RCA 2,0m			£5,915.83	£7,099.00
NF-2405	Ref NF-2405 AIR Pure Silver XLR 1,0m			£3,999.17	£4,799.00
NF-2405	Ref NF-2405 AIR Pure Silver XLR 1,5m			£5,665.83	£6,799.00
NF-2405	Ref NF-2405 AIR Pure Silver XLR 2,0m			£7,332.50	£8,799.00

Retail Price List - Valid From April 2024

DIGITAL CABLES

RETAIL
ex VAT

RETAIL
inc VAT

DIGITAL-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



DIGITAL-2405	Ref DIGITAL 2405 AIR RCA 1,0m			£832.50	£999.00
DIGITAL-2405	Ref DIGITAL 2405 AIR RCA 1,5m			£1,207.50	£1,449.00
DIGITAL-2405	Ref DIGITAL 2405 AIR RCA 2,0m			£1,582.50	£1,899.00
DIGITAL-2405	Ref DIGITAL 2405 AIR XLR 1,0m			£915.83	£1,099.00
DIGITAL-2405	Ref DIGITAL 2405 AIR XLR 1,5m			£1,332.50	£1,599.00
DIGITAL-2405	Ref DIGITAL 2405 AIR XLR 2,0m			£1,749.17	£2,099.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver RCA 1,0m			£2,249.17	£2,699.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver RCA 1,5m			£3,165.83	£3,799.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver RCA 2,0m			£4,082.50	£4,899.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver XLR 1,0m			£2,499.17	£2,999.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver XLR 1,5m			£3,499.17	£4,199.00
DIGITAL-2405	Ref DIGITAL 2405 AIR Pure Silver XLR 2,0m			£4,499.17	£5,399.00

Retail Price List - Valid From April 2024

PHONO CABLES

RETAIL
ex VAT

RETAIL
inc VAT

PHONO-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



PHONO-1205	Ref PHONO 1205 AIR Pure Silver SME-RCA 1,0m			£2,249.17	£2,699.00
PHONO-1205	Ref PHONO 1205 AIR Pure Silver SME-RCA 1,5m			£3,082.50	£3,699.00
PHONO-1205	Ref PHONO 1205 AIR Pure Silver SME-RCA 2,0m			£3,915.83	£4,699.00

PHONO-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



PHONO-2405	Ref PHONO 2405 AIR RCA-RCA 1,0m			£915.83	£1,099.00
PHONO-2405	Ref PHONO 2405 AIR RCA-RCA 1,5m			£1,290.83	£1,549.00
PHONO-2405	Ref PHONO 2405 AIR RCA-RCA 2,0m			£1,665.83	£1,999.00
PHONO-2405	Ref PHONO 2405 AIR SME-RCA 1,0m			£999.17	£1,199.00
PHONO-2405	Ref PHONO 2405 AIR SME-RCA 1,5m			£1,374.17	£1,649.00
PHONO-2405	Ref PHONO 2405 AIR SME-RCA 2,0m			£1,749.17	£2,099.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-RCA 1,0m			£999.17	£1,199.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-RCA 1,5m			£1,374.17	£1,649.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-RCA 2,0m			£1,749.17	£2,099.00



Retail Price List - Valid From April 2024

PHONO CABLES				RETAIL ex VAT	RETAIL inc VAT
PHONO-2405	Ref PHONO 2405 AIR SME-XLR 1,0m			£1,082.50	£1,299.00
PHONO-2405	Ref PHONO 2405 AIR SME-XLR 1,5m			£1,457.50	£1,749.00
PHONO-2405	Ref PHONO 2405 AIR SME-XLR 2,0m			£1,832.50	£2,199.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-XLR 1,0m			£1,082.50	£1,299.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-XLR 1,5m			£1,457.50	£1,749.00
PHONO-2405	Ref PHONO 2405 AIR SME90°-XLR 2,0m			£1,832.50	£2,199.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver RCA-RCA 1,0m			£2,665.83	£3,199.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver RCA-RCA 1,5m			£3,665.83	£4,399.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver RCA-RCA 2,0m			£4,665.83	£5,599.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-RCA 1,0m			£2,915.83	£3,499.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-RCA 1,5m			£3,915.83	£4,699.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-RCA 2,0m			£4,915.83	£5,899.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-RCA 1,0m			£2,915.83	£3,499.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-RCA 1,5m			£3,915.83	£4,699.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-RCA 2,0m			£4,915.83	£5,899.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-XLR 1,0m			£2,999.17	£3,599.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-XLR 1,5m			£3,999.17	£4,799.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME-XLR 2,0m			£4,999.17	£5,999.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-XLR 1,0m			£2,999.17	£3,599.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-XLR 1,5m			£3,999.17	£4,799.00
PHONO-2405	Ref PHONO 2405 AIR Pure Silver SME90°-XLR 2,0m			£4,999.17	£5,999.00

Retail Price List - Valid From April 2024

MAINS POWER CABLES

RETAIL
ex VAT

RETAIL
inc VAT

AC-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- 4-fold multicore design reduces the line inductance



AC-1205	Ref AC-1205 AIR SCHUKO - C15 Basic 1,0m			£824.17	£989.00
AC-1205	Ref AC-1205 AIR SCHUKO - C15 Basic 1,5m			£945.00	£1,134.00
AC-1205	Ref AC-1205 AIR SCHUKO - C15 Basic 2,0m			£1,065.83	£1,279.00
AC-1205	Ref AC-1205 AIR SCHUKO - C15 Basic 3,0m			£1,307.50	£1,569.00
AC-1205	Ref AC-1205 AIR SCHUKO - C19 Basic 1,0m			£824.17	£989.00
AC-1205	Ref AC-1205 AIR SCHUKO - C19 Basic 1,5m			£945.00	£1,134.00
AC-1205	Ref AC-1205 AIR SCHUKO - C19 Basic 2,0m			£1,065.83	£1,279.00
AC-1205	Ref AC-1205 AIR SCHUKO - C19 Basic 3,0m			£1,307.50	£1,569.00
AC-1205	Ref AC-1205 AIR NEMA - C15 Basic 1,0m			£824.17	£989.00
AC-1205	Ref AC-1205 AIR NEMA - C15 Basic 1,5m			£945.00	£1,134.00
AC-1205	Ref AC-1205 AIR NEMA - C15 Basic 2,0m			£1,065.83	£1,279.00
AC-1205	Ref AC-1205 AIR NEMA - C15 Basic 3,0m			£1,307.50	£1,569.00
AC-1205	Ref AC-1205 AIR NEMA - C19 Basic 1,0m			£824.17	£989.00
AC-1205	Ref AC-1205 AIR NEMA - C19 Basic 1,5m			£945.00	£1,134.00
AC-1205	Ref AC-1205 AIR NEMA - C19 Basic 2,0m			£1,065.83	£1,279.00
AC-1205	Ref AC-1205 AIR NEMA - C19 Basic 3,0m			£1,307.50	£1,569.00

Retail Price List - Valid From April 2024

MAINS POWER CABLES

RETAIL
ex VAT

RETAIL
inc VAT

AC-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- 4-fold multicore design reduces the line inductance



AC-2405	Ref AC-2405 AIR SCHUKO - C15 HQ 1,0m			£1,457.50	£1,749.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 HQ 1,5m			£1,686.67	£2,024.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 HQ 2,0m			£1,915.83	£2,299.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 HQ 3,0m			£2,374.17	£2,849.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 HQ 1,0m			£1,457.50	£1,749.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 HQ 1,5m			£1,686.67	£2,024.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 HQ 2,0m			£1,915.83	£2,299.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 HQ 3,0m			£2,374.17	£2,849.00
AC-2405	Ref AC-2405 AIR NEMA - C15 HQ 1,0m			£1,457.50	£1,749.00
AC-2405	Ref AC-2405 AIR NEMA - C15 HQ 1,5m			£1,686.67	£2,024.00
AC-2405	Ref AC-2405 AIR NEMA - C15 HQ 2,0m			£1,915.83	£2,299.00
AC-2405	Ref AC-2405 AIR NEMA - C15 HQ 3,0m			£2,374.17	£2,849.00
AC-2405	Ref AC-2405 AIR NEMA - C19 HQ 1,0m			£1,457.50	£1,749.00
AC-2405	Ref AC-2405 AIR NEMA - C19 HQ 1,5m			£1,686.67	£2,024.00
AC-2405	Ref AC-2405 AIR NEMA - C19 HQ 2,0m			£1,915.83	£2,299.00
AC-2405	Ref AC-2405 AIR NEMA - C19 HQ 3,0m			£2,374.17	£2,849.00



Retail Price List - Valid From April 2024

MAINS POWER CABLES				RETAIL ex VAT	RETAIL inc VAT
AC-2405	Ref AC-2405 AIR SCHUKO - C15 Basic 1,0m			£1,040.83	£1,249.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 Basic 1,5m			£1,270.00	£1,524.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 Basic 2,0m			£1,499.17	£1,799.00
AC-2405	Ref AC-2405 AIR SCHUKO - C15 Basic 3,0m			£1,957.50	£2,349.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 Basic 1,0m			£1,040.83	£1,249.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 Basic 1,5m			£1,270.00	£1,524.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 Basic 2,0m			£1,499.17	£1,799.00
AC-2405	Ref AC-2405 AIR SCHUKO - C19 Basic 3,0m			£1,957.50	£2,349.00
AC-2405	Ref AC-2405 AIR NEMA - C15 Basic 1,0m			£1,040.83	£1,249.00
AC-2405	Ref AC-2405 AIR NEMA - C15 Basic 1,5m			£1,270.00	£1,524.00
AC-2405	Ref AC-2405 AIR NEMA - C15 Basic 2,0m			£1,499.17	£1,799.00
AC-2405	Ref AC-2405 AIR NEMA - C15 Basic 3,0m			£1,957.50	£2,349.00
AC-2405	Ref AC-2405 AIR NEMA - C19 Basic 1,0m			£1,040.83	£1,249.00
AC-2405	Ref AC-2405 AIR NEMA - C19 Basic 1,5m			£1,270.00	£1,524.00
AC-2405	Ref AC-2405 AIR NEMA - C19 Basic 2,0m			£1,499.17	£1,799.00
AC-2405	Ref AC-2405 AIR NEMA - C19 Basic 3,0m			£1,957.50	£2,349.00

Retail Price List - Valid From April 2024

MAINS POWER CABLES

RETAIL
ex VAT

RETAIL
inc VAT

AC-4005 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- 16-fold multicore design reduces the line inductance to a minimum
- Rhodium-plated ultra high-quality (UHQ) connectors



AC-4005	Ref AC-4005 AIR SCHUKO - C15 HQ 1,0m			£2,332.50	£2,799.00
AC-4005	Ref AC-4005 AIR SCHUKO - C15 HQ 1,5m			£2,770.00	£3,324.00
AC-4005	Ref AC-4005 AIR SCHUKO - C15 HQ 2,0m			£3,207.50	£3,849.00
AC-4005	Ref AC-4005 AIR SCHUKO - C15 HQ 3,0m			£4,082.50	£4,899.00
AC-4005	Ref AC-4005 AIR SCHUKO - C19 HQ 1,0m			£2,332.50	£2,799.00
AC-4005	Ref AC-4005 AIR SCHUKO - C19 HQ 1,5m			£2,770.00	£3,324.00
AC-4005	Ref AC-4005 AIR SCHUKO - C19 HQ 2,0m			£3,207.50	£3,849.00
AC-4005	Ref AC-4005 AIR SCHUKO - C19 HQ 3,0m			£4,082.50	£4,899.00
AC-4005	Ref AC-4005 AIR NEMA - C15 HQ 1,0m			£2,332.50	£2,799.00
AC-4005	Ref AC-4005 AIR NEMA - C15 HQ 1,5m			£2,770.00	£3,324.00
AC-4005	Ref AC-4005 AIR NEMA - C15 HQ 2,0m			£3,207.50	£3,849.00
AC-4005	Ref AC-4005 AIR NEMA - C15 HQ 3,0m			£4,082.50	£4,899.00
AC-4005	Ref AC-4005 AIR NEMA - C19 HQ 1,0m			£2,332.50	£2,799.00
AC-4005	Ref AC-4005 AIR NEMA - C19 HQ 1,5m			£2,770.00	£3,324.00
AC-4005	Ref AC-4005 AIR NEMA - C19 HQ 2,0m			£3,207.50	£3,849.00
AC-4005	Ref AC-4005 AIR NEMA - C19 HQ 3,0m			£4,082.50	£4,899.00