

Confidential RETAIL Price List - Valid From April 2024

SVS Compact Sealed Subwoofers

SVS design engineers have achieved excellent deep bass extension and output from our sealed subwoofers, using expertly tuned high-power DSP amplifiers and long-stroke driver motors customised for a sealed application. Feature handsomely designed cabinets, perforated metal grilles, and high-end finish options.

| | | Ex VAT | Inc VAT |
|-------------------------|--|---------|---------|
| SB-1000 Pro (Black Ash) | | £565.83 | £679.00 |

Driver: 12"

Amplifier: 325 watts RMS (820 watts peak), Class D Frequency Response: 20Hz to 270Hz (+/-3dB); In Room

Low Freq - 18Hz Weight - 11.9kg

Dimensions (H x W x D mm): With Grille 342 x 330 x 375 Without Grille 342 x 330 x 352

| Without Office 5 12 x 555 x 552 | A PARTITION OF THE PART | | | |
|--|--|--|---------|-----------|
| SB-1000 Pro (Gloss Black or Gloss White) | | | £649.17 | £779.00 |
| SB-2000 Pro (Black Ash) | | | £874.17 | £1,049.00 |

Front-firing 12" high-excursion SVS driver

Rear-mounted 550W RMS Class D amplifier with 1,500W

Frequency Response: 19-240 Hz ±3 dB

Dual 3.5-inch ports

Protective non-resonant extra-thick ABS fabric mesh grille



| SB-2000 Pro (Black Gloss, White Gloss Special Order) | | £957.50 | £1,149.00 | |
|--|--|---------|-----------|--|
| SB-3000 Micro (Gloss Black or Gloss White) | | £832.50 | £999.00 | |

Fully Active Dual Opposing 8-inch drivers Frequency Response: 23Hz to 240Hz +/-3dB

Dimensions (H x W x D with grille mm): 278 x 297 x 271;

Weight: 10.2kg







Confidential RETAIL Price List - Valid From April 2024

SVS Compact Sealed Subwoofers (continued) Retail Ex VAT fl,182.50 £1,182.50 £1,419.00

SB-3000 (Black Ash)

Reference subwoofer performance from a small cabinet at an ultra-competitive price.

Front-firing 13" high-excursion SVS driver
Rear-mounted 800W RMS (> 2500W peak) amplifier
with Intelligent Control Interface (ICI)
Freq. Response: 18-270Hz ±3 dB
Premium Black Ash and Piano Gloss Black finishes

Dimensions (H x W x D with grille mm): 397 x 385 x 451

Protective non-resonant steel mesh grille

Weight (unboxed): 24.7 kg

| Weight (allooked) 2 IIV Ng | | | |
|---------------------------------------|--|-----------|-----------|
| SB-3000 (Gloss Black and Gloss White) | | £1,232.50 | £1,479.00 |
| SB-4000 (Black Oak) | | £1,807.50 | £2,169.00 |

Unparalleled Low Frequency Depth, Power and Detail Amplifier Power:

1200W (continuous power) / 4200W (peak dynamic power) Proprietary 13.5" 4000 Series Driver: 19.5kg Woofer with 17.1kg motor, overhung 52mm Xmax, 76.2mm Xmech precision aligned excursion

Frequency Response: 19 - 310 Hz (± 3 dB)

Max Low Frequency Output: 126.8dB @ 32Hz 1/8

space 1m

Dimensions (H x W x D mm): 465 x 453 x 530

Weight: 46.4 kg

| SB-4000 (Gloss Black) | £1,832.50 | £2,199.00 |
|-----------------------|-----------|-----------|
| | £2,415.83 | £2,899.00 |

SB16-ULTRA (Black Oak, Black Gloss) Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil 1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier

Innovative Apple iOS and Android App for Subwoofer Control and Bass Management Premium Black Oak and Piano Gloss Black Finish Protective, Non-resonant Steel Mesh Grille Frequency Response: $16-460~\text{Hz}\pm 3~\text{dB}$ Dimensions (H x W x D with grille mm): 508~x 495 x 511

Weight: 55.3 kg







Retail

Ex VAT **£740.83**

Confidential RETAIL Price List - Valid From April 2024

SVS Maximum Performance Ported Subwoofers

With handsome cabinet designs, a variety of upscale finish options, and a sleek perforated metal grille, these subwoofers look as good as they perform. Optimal enclosure volume, deep-tuned porting, high-performance drivers, and plenty of intelligent DSP amplifier power are the hallmarks of this design, and provide unmatched performance and value.

| P | R-1 | റററ | Pro | (Black Ash) | |
|---|-----|------|-------|--------------|--|
| г | D-T | .UUU | TIU I | IDIACK ASIII | |

Driver: 12"

Amplifier: 325 watts RMS (820 watts peak), Class D Frequency Response: 17Hz to 260Hz Standard

+/-3dB; 19Hz to 260Hz Sealed +/-3dB; In Room Low Freq

- 18Hz

Weight: 19.3kg

Dimensions (H x W x D mm): With Grille 479 x 380 x 509 Without Grille 467 x 380 x 488

PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.



£1,032.50

£1,239.00

Retail Inc VAT

£889.00

PB-2000 Pro (Black Ash)

Protective non-resonant extra-thick ABS fabric mesh grille

Front-firing 12" high-excursion SVS driver

Dual 3" ports

Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI)

Freq. Response: 16-290 Hz ±3 dB (standard mode); 17-290

Hz ±3 dB (sealed mode)
Iso-elastomer feet

Robust MDF cabinet construction

Dimensions (H x W x D with grille mm): 532 x 440 x 600

Weight (unboxed with grille): 29.4 kg

PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.









Confidential RETAIL Price List - Valid From April 2024

SVS Ported Subwoofers (continued)

Retail
Ex VAT

Inc VAT

£1,582.50

£1,899.00

PB-3000 (Black Ash)

Reference subwoofer performance at a breakthrough price.

Front-firing 13" high-excursion SVS driver

Rear-mounted 800W RMS (>2500+W peak) amplifier with

Intelligent Control Interface (ICI)

Freq. Response: 16-260 Hz ±3 dB (standard mode); 18-260

Hz ±3 dB (sealed mode) Dual 3.5-inch ports

Premium Black Ash finish

Protective non-resonant steel mesh grille

Dimensions (H x W x D with grille mm): $557 \times 465 \times 660$

Weight (unboxed): 37.3 kg

PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.



£2,249.17 £2,699.00

PB-4000 (Black Oak)

Jaw-Dropping Bass Extension and Output with Pinpoint Control and Accuracy

Amplifier Power:

1200W (continuous power) / 4200W (peak dynamic power)

Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer

with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion

Frequency Response:

16Hz to 200Hz (± 3 dB standard mode)

13Hz to 200Hz (± 3 dB extended mode)

18Hz to 200Hz (± 3 dB sealed mode)

Max Low Frequency Output: 134.5dB @ 32Hz 1/8

space 1m

Weight: 69.5 kg

Dimensions (H x W x D with grill mm): $595 \times 520 \times 763$



PB-4000 (Black Gloss) £2,799.00





Confidential RETAIL Price List - Valid From April 2024

| SVS Ported Subwoofers (continued) | Retail Ex VAT | Retail Inc VAT |
|-------------------------------------|-------------------------|--------------------------|
| DR16 LILTRA (Block Ook Block Class) | £2,982.50 | £3,579.00 |

PB16-ULTRA (Black Oak, Black Gloss)

Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil

1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier

Innovative Apple iOS and Android App for

Subwoofer Control and Bass Management

Premium Black Oak and Piano Gloss Black Finish

Protective, Non-resonant Steel Mesh Grille

Frequency Response: 15 - 280 Hz (± 3 dB)

Dimensions (H x W x D with grille mm): $635 \times 551 \times 785$

Weight: 55.3 kg



SVS Powered Cylinder Subwoofers

With just a 16.5" diameter, no other family of subwoofers provides more bass performance per square inch of floor space. This unique and proprietary cylinder design utilises vertical space in order to achieve perfectly deep-tuned bass. With a sleek footprint, these cylinder subwoofers fit conveniently into any theatre room without sacrificing performance. A bottomfiring, long-stroke driver provides a low centre of gravity and excellent stability. The exclusive integrated amp-mount provides a secure and elegant platform for our sophisticated DSP amplifiers. Complete with resonance-free grille.

PC-2000 Pro (Black Gloss)

Down-firing 12" high-excursion SVS driver

Rear-firing 4" port

Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI)

Frequency Response: 16 - 290Hz (+/-3dB standard mode)

17 - 290Hz (+/-3dB sealed mode)

SVS SoundPath Subwoofer Isolation System

Robust MDF cabinet construction

Dimensions (H x Diameter mm): 872 x 422

Weight (unboxed): 21.5 kg

£1,032.50

£1,239.00









Confidential RETAIL Price List - Valid From April 2024

SVS Powered Cylinder Subwoofers (continued) Retail Ex VAT PC-4000 £2,082.50 £2,499.00

1 C 4000

Reference-calibre bass with smaller footprint just 16" diameter

Amplifier Power:

1200W (continuous power) / 4200W (peak dynamic power)

Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion

Frequency Response:

17 - 200Hz (+/-3dB standard mode)

15 - 200Hz (+/-3dB extended mode)

16 - 200Hz (+/-3dB sealed mode)

Max Low Frequency Output: 133.1dB @ 32Hz 1/8 space 1m

Finishes: Piano Gloss Black Weight: 41.9kg (with grille)

Dimensions (H x Diameter with grille mm): 1190 x 419









Confidential RETAIL Price List - Valid From April 2024

Ultra Evolution Speakers

Retail ex VAT

Retail inc VAT

SVS Ultra Evolution Speakers

Ultra Evolution is the new flagship series representing the culmination of advancements in SVS audio design to achieve performance that transcends its price class. Features seven new models, including three floorstanding tower speakers, two bookshelf speakers, 3-way center channel, and Ultra Elevation height effects/surround speaker.

Ultra Evolution Pinnacle

3-way Floor-Standing Tower Loudspeaker

Features: Acoustically Centred Time Alignment Cabinet Architecture I" Diamond Coated Aluminium Dome Tweeter Quad 8" Glass Fibre Woofers in Force-Balanced Array Dual 5.25" Glass Fibre Composite Midrange Drivers Dual 3" wide-flared rear-firing ports

Frequency Response: 24Hz to 40kHz (+/-3 dB)

Nominal Impedance: 6 ohms

Sensitivity: 88dB (2.83V @ 1 metre full-space, 300Hz - 3kHz)

Recommended amplifier power: 20 - 300 watts

Piano gloss black, piano gloss white, real black oak veneer finish options

Spiked metal screw-in feet included – adjustable for level

Overall Dimensions: 1275mm (H) x 300mm (W) x 460.7mm (D) (includes

grille, feet, and binding posts) Weight Unboxed: 43.9 kgs



| Ultra Evolution Pinnacle Black Ash pair | £4,999.17 | £5,999.00 |
|---|-----------|-----------|
| Ultra Evolution Pinnacle Piano Gloss Black pair | £4,999.17 | £5,999.00 |
| Ultra Evolution Pinnacle Piano Gloss White pair | £4.999.17 | £5.999.00 |

Ultra Evolution Titan

3-way Floor-Standing Tower Loudspeaker

Features: Acoustically Centred Time Alignment Cabinet Architecture I" Diamond Coated Aluminium Dome Tweeter Quad 6.5" Glass Fibre Woofers in Force-Balanced Array

Dual 4.5" Glass Fibre Composite Midrange Drivers

Dual 2.5" wide-flared rear-firing ports

Frequency Response: 27Hz to 40kHz (+/-3 dB)

Nominal Impedance: 6 ohms Sensitivity: 88dB (2.83V @ 1 metre full-space, 300Hz - 3kHz)

Recommended amplifier power: 20 – 300 watts Piano gloss black, piano gloss white, real black oak veneer finish options

Spiked metal screw-in feet included – adjustable for level

Overall Dimensions: 1197mm (H) x 249mm (W) x 439.3mm (D) (includes

grille, feet, and binding posts) Weight Unboxed: 31.6 kgs





| Ultra Evolution Titan Black Ash pair | £4,165.83 | £4,999.00 |
|--|-----------|-----------|
| Ultra Evolution Titan Piano Gloss Black pair | £4,165.83 | £4,999.00 |
| Ultra Evolution Titan Piano Gloss White pair | £4,165.83 | £4,999.00 |





Confidential RETAIL Price List - Valid From April 2024

Ultra Evolution Speakers

Retail ex VAT Retail inc VAT

Ultra Evolution Tower

3-way Floor-Standing Tower Loudspeaker

Features: Acoustically Centred Time Alignment Cabinet Architecture

I" Diamond Coated Aluminium Dome Tweeter

Quad 5.25" Glass Fibre Woofers in Force-Balanced Array

Dual 4.5" Glass Fibre Composite Midrange Drivers

Dual 2.5" wide-flared rear-firing ports

Frequency Response: 30Hz to 40kHz (+/-3 dB)

Nominal Impedance: 6 ohms

Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz - 3kHz)

Recommended amplifier power: 20 – 300 watts

Piano gloss black, piano gloss white, real black oak veneer finish options

Spiked metal screw-in feet included – adjustable for level

Overall Dimensions: 1130mm (H) x 218mm (W) x 424mm (D) (includes

grille, feet, and binding posts)
Weight Unboxed: 27.0 kgs





| Ultra Evolution Tower Black Ash pair | £2,999.17 | £3,599.00 |
|--|-----------|-----------|
| Ultra Evolution Tower Piano Gloss Piano Black pair | £2,999.17 | £3,599.00 |
| Ultra Evolution Tower Piano Gloss White pair | £2,999.17 | £3,599.00 |

Ultra Evolution Bookshelf

2-way Bookshelf Loudspeaker

Features

Time Aligned Cabinet Geometry

I" Diamond Coated Aluminium Dome Tweeter

6.5" Glass Fibre Woofer

2" wide-flared rear-firing port

Frequency Response: 40Hz to 40kHz (+/-3 dB)

Nominal Impedance: 6 ohms

Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz - 3kHz)

Recommended amplifier power: 20 – 150 watts

Piano gloss black, piano gloss white, real black oak veneer finish options $% \left(1\right) =\left(1\right) \left(1\right)$

Overall Dimensions: 382mm (H) x 220mm (W) x 295.6mm (D) (includes

grille and SVS Multi-Angle Wall Bracket)

Weight Unboxed: 8.6 kgs



| Ultra Evolution Bookshelf Black Ash (pair) | | £1,249.17 | £1,499.00 |
|--|--|-----------|-----------|
| Ultra Evolution Bookshelf Piano Gloss Black (pair) | | £1,249.17 | £1,499.00 |
| Ultra Evolution Bookshelf Piano Gloss White (pair) | | £1,249.17 | £1,499.00 |





Confidential RETAIL Price List - Valid From April 2024

Ultra Evolution Speakers

Retail ex VAT

Retail inc VAT

Ultra Evolution Center

3-way Centre Speaker

Features: Time Aligned Cabinet Geometry I" Diamond Coated Aluminium Dome Tweeter

Dual 6.5" Glass Fibre Woofers

Overall Dimensions: 199mm (H) x 560mm (W) x 299.2mm (D) (includes

grille, feet, and binding posts)



| Ultra Evolution Center Black Ash | £832.50 | £999.00 |
|--|---------|---------|
| Ultra Evolution Center Piano Gloss Black | £832.50 | £999.00 |
| Ultra Evolution Center Piano Gloss White | £832.50 | £999.00 |

SVS Ultra Elevation Height/Surround Speaker

Versatile 2-way height/surround speaker

Features: Multi-Angle Wall/Ceiling Mount

Optimised Angled Front Baffle

I" Diamond Coated Aluminium Dome Tweeter

5.25" Glass Fibre Woofer

Overall Dimensions: 283mm (H) x 185mm (W) x 249.4mm (D) (includes

grille and SVS Multi-Angle Wall Bracket)

| | - | - | |
|--|---|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | - | |

| Ultra Elevation Black Ash (pair) | | £915.83 | £1,099.00 |
|--|--|---------|-----------|
| Ultra Elevation Piano Gloss Black (pair) | | £915.83 | £1,099.00 |
| Ultra Elevation Piano Gloss White (pair) | | £915.83 | £1,099.00 |

Ultra Evolution Nano

Compact 2-way Bookshelf Speaker

Features: Time Aligned Cabinet Geometry

I" Diamond Coated Aluminium Dome Tweeter

5.25" Glass Fibre Woofer

Overall Dimensions: 314mm (H) x 190mm (W) x 243mm (D) (includes grille and SVS Multi-Angle Wall Bracket)



| Ultra Evolution Nano Black Ash (pair) | £915.83 | £1,099.00 |
|---|---------|-----------|
| Ultra Evolution Nano Piano Gloss Black (pair) | £915.83 | £1,099.00 |
| Ultra Evolution Nano Piano Gloss White (pair) | £915.83 | £1,099.00 |





Confidential RETAIL Price List - Valid From April 2024

SVS Ultra Speakers

Led by award-winning designer Mark Mason, every aspect of the Ultra Speaker design was developed with extreme performance, stunning aesthetics and superb fidelity as the overriding priorities. The finest quality materials and components were used, with many parts being custom-designed exclusively for this application. The Ultra Speakers were modelled using the most sophisticated engineering available, including finite element analysis(FEA) to optimise performance. Each speaker was refined after months of anechoic chamber and calibrated listening room measurements at the world-renowned National Research Council facilities in Canada.

| | | Retail Ex VAT | Retail Inc VAT |
|------------------------|--|-------------------------|--------------------------|
| Ultra Bookshelf (pair) | | £1,124.17 | £1,349.00 |

Bookshelf Monitor Loudspeaker

Available in Black Piano gloss and Black Oak veneer

Dual gold-plated 5-way binding posts

1.7" wide-flared rear-firing port

Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 379 x 216 x 254

Weight: 8.62 kg









Confidential RETAIL Price List - Valid From April 2024

SVS Ultra Speakers (continued) Retail | Retail | Inc VAT Ultra Centre

Centre Channel Loudspeaker

Available in Black Piano gloss and Black Oak veneer

Dual gold-plated 5-way binding posts Dual 1.7" wide-flared rear-firing ports Cloth grille with pin/cup retention system Dimensions ($H \times W \times D \text{ mm}$): 203 x 559 x 254

Weight: 14.1 kg



£1,107.50

£1.329.00

Ultra Surround (pair)

Dual Baffle Surround Loudspeaker

Available in Black Piano gloss and Black Oak veneer Dual independent gold-plated 5-way binding posts Cloth grille with pin/cup retention system Aluminium wall mounting bracket with safety catch feature to help prevent inadvertent removal Dimensions (H x W x D mm): 356 x 312 x 137

Weight: 8.16 kg



£2,499.17

£2,999.00

Ultra Tower (pair)

Floor Standing Tower Loudspeaker

Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts 3.5" wide-flared rear-firing port Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 1143 x 350 x 413

Weight: 34.2 kg







Confidential RETAIL Price List - Valid From April 2024

SVS Prime Series Speakers

Consisting of Pinnacle, Elevation, Bookshelf, Tower, Centre and Satellite models, the Prime Series is SVS' second fullrange speaker family offering. SVS has combined knowledge gained from developing the award-winning Ultra Series with new engineering and form factor changes to achieve flagship performance, features and specifications from the Prime Series at mainstream prices. The Prime Series introduces the experience of high-end audio to a broader audience.

| | Ex VAT | nc VAT |
|---------------------------------|-----------|-----------|
| Prime Pinnacle (Black Ash pair) | £1,665.83 | £1,999.00 |

The ultimate expression of what SVS sought to create with the Prime Series loudspeakers is epitomized in Prime Pinnacle. Audiophile refinement and musicality without sacrificing wide dynamic range, deep, effortless bass and all the excitement of a world-class loudspeaker.

Floor Standing Tower Loudspeaker

1" Aluminium Dome Tweeter:

FEA-optimized diffuser for airy and unveiled presentation, Aluminium dome for exceptional transient response

5.25" Midrange Polypropylene cone Driver:

Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

Triple 6.5" Polypropylene cone Woofers:

Long stroke motor and suspension for high output, Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

3-way crossover with premium-grade capacitors, aircore inductors and heavy-trace printed circuit boards

Rated bandwidth: 29 Hz - 25 kHz (±3 dB)

Nominal impedance: 8 Ω

Sensitivity: 88 dB (2.83V @ 1m full-space, 300-3kHz) Recommended amplifier power: 20 - 300 W

5-way binding posts

Triple 2" wide-flared rear-firing ports

Cloth grille with pin / cup retention system

Dimensions (H x W x D mm): 1,044 x 203 x 353

(includes grille, feet and binding posts)

Weight (Unboxed): 25.9 kg

Black ash and piano gloss black finish options





Prime Pinnacle (Black Gloss pair)

£1,832.50

£2,199.00





Confidential RETAIL Price List - Valid From April 2024

| SVS Prime Series Speakers (continued) | Retail Ex VAT | Retail Inc VAT |
|---------------------------------------|-------------------------|--------------------------|
| Prime Flevation (Rlack Ash nair) | £474.17 | £569.00 |

rime Elevation (Black Ash pair)

The Prime Elevation is designed to serve in multiple roles, including use as reflected-sound elevation modules in an immersive audio system. This compact, trapezoidal speaker is primed for ceiling, on-wall, speaker stand or shelf mounting. Each speaker includes a four position bracket for easy wall and ceiling mounting.

1" aluminium dome tweeter paired with 4.5" polypropylene mid / woofer

Frequency response: 69 Hz - 25 kHz (+/- 3dB)



| Prime Elevation (Black Gloss, White Gloss pair) | | £557.50 | £669.00 |
|---|--|---------|---------|
| Prime Bookshelf (Black Ash nair) | | £557.50 | £669.00 |

IME BOOKSNEIT (Black Ash pair)

1" aluminium dome tweeter

6.5" polypropylene cone woofer

SoundMatch Crossover Network: 2-way crossover

1.7" wide-flared rear-firing port

Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB)

Nominal impedance: 8Ω

Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W

Dimensions (H \times W \times D mm): 338 \times 336 \times 262 (includes

grille and bumper feet)

Weight Unboxed: 7.0 kg



| Prime Bookshelf (Black Gloss pair) | | £632.50 | £759.00 |
|------------------------------------|--|---------|---------|
|------------------------------------|--|---------|---------|





Confidential RETAIL Price List - Valid From April 2024

SVS Prime Series Speakers (continued)

Retail
Ex VAT

Retail
Inc VAT

\$\frac{\

Prime Tower (Black Ash pair)

1" aluminium dome tweeter

4.5" polypropylene cone midrange driver

Dual 6.5" polypropylene cone woofers

SoundMatch Crossover Network: 3.5-way crossover

Dual 1.7" wide-flared rear-firing ports Rated bandwidth: 30 Hz - 25 kHz (+/-3 dB)

Nominal impedance: 8Ω

Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz)
Recommended amplifier power: 20 - 250W
Dimensions (H x W x D mm): 930 x 203 x 295 (includes

grille and feet)

Weight Unboxed: 18.2 kg



Prime Tower (Gloss Black pair) £1,249.17 £1,499.00

Prime Centre (Black Ash each)

1" aluminium dome tweeter

3.5" midrange driver

Dual 5.25" woofers

SoundMatch Crossover Network: 3-way crossover

Dual 1" wide-flared rear-firing ports Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB)

Nominal impedance: 8Ω

Sensitivity: 86 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 200W

Dimensions (H x W x D mm): 193 x 203 x 211 (includes

grille, binding posts and bumper feet)

Weight Unboxed: 9.2 kg



£415.83

£499.00

Prime Centre (Black Gloss each) £482.50 £579.00





Confidential RETAIL Price List - Valid From April 2024

| SVS Prime Series Speakers (continued) | Retail Ex VAT | Retail Inc VAT |
|---------------------------------------|-------------------------|--------------------------|
| Duime Catallita (Disabilità unio) | £324.17 | £389.00 |

Prime Satellite (Black Ash pair)

1" aluminium dome tweeter

4.5" polypropylene cone woofer

SoundMatch Crossover Network: 2-way crossover

1" wide-flared rear-firing port

Rated bandwidth: 69 Hz - 25 kHz (+/-3 dB)

Nominal impedance: 8Ω

Sensitivity: 85 dB (2.83V @ 1m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W

Keyway bracket for easy and convenient wall mounting

(includes extra bumper pads for wall stand-off)

Dimensions (H x W x D mm): 225 x 125 x 160 (includes grille

and bumper feet)

Weight Unboxed: 3.0 kg



| Prime Satellite (Black Gloss, White Gloss pair) | £374.17 | £449.00 |
|---|---------|---------|
| | | |

Prime 2.1 System (Black Ash)

Complete 2.1 system featuring a pair of Prime Satellites and SB-1000 subwoofer.

2 x Prime Satellite Speakers for a complete audio system in Black Ash

1 x SB-1000, 13" subwoofer in Black Ash





£782.50

£939.00

| Prime 2.1 System (Black Gloss, White Gloss) | | £882.50 | £1,059.00 |
|---|--|---------|-----------|
|---|--|---------|-----------|





Confidential RETAIL Price List - Valid From April 2024

SVS Prime Series Speakers (continued) Retail Ex VAT Prime 5.1 System (Black Ash) Retail Inc VAT £1,349.00

Complete 5.1 system featuring five Prime Satellites

and an SB-1000 subwoofer

5 x Prime Satellite Speakers for a complete 5channel speaker system in Black Ash, Gloss Black or Gloss White

1 x SB-1000, 13" subwoofer in Black Ash, Gloss Black or Gloss White

Upgrade to 7.1 or 9.1 with additional Prime Series Satellites for an even more immersive experience



Prime 5.1 System (Gloss Black, Gloss White) £1,315.83 £1,579.00

Prime Wireless Pro Speaker System

The next-gen Prime Wireless Pro system comprises a two-channel powered speaker array integrating a 200W (4 x 50W) amplifier, sophisticated 192KHz/24-bit DAC, and precisely tuned digital crossover for best-in-class dynamics, bass and clarity. The system will stream hi-res audio wirelessly via Wi-Fi, Airplay 2, and Google Cast. Bluetooth enabled, it also features HDMI, line level, optical, and ethernet inputs, and a subwoofer output. Easy control is achieved via smartphone or desktop app, IR remote, voice commands, and data rich front panel interface.

2-Channel active/passive powered stereo speaker array for pinpoint stereo imaging

200 watt amplifier (50 watts x 4) for stunning output from compact cabinet

Stream Hi-Res audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices Bluetooth with aptX

HDMI, Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs, Subwoofer Output

Control via smartphone/desktop app, front panel and IR remote.

24-bit/192kHz DAC for ultra-high-res audio streaming

£832.50

£999.00







Confidential RETAIL Price List - Valid From April 2024

| Prime Wireless (continued) | | Retail Ex VAT | Retail Inc VAT |
|------------------------------|--|-------------------------|--------------------------|
| Prime Wireless Pro Soundhase | | £665.83 | £799.00 |

Smart wireless integrated amplifier: 300 watt stereo (150 watts x 2); Stream High-Resolution audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices; Spotify Connect; Bluetooth with aptX/AAC for optimal sound quality; HDMI ARC/eARC Input for Connecting Directly to TV; Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs; Control via smartphone/desktop app, front panel, IR remote and voice; 24-bit/192kHz DAC for High-Resolution wireless streaming; 6 front panel presets for one-touch access to music services and playlists.



Soundpath Wireless Audio Adaptor

Add wireless connectivity to subwoofers, speakers, amplifiers and more. Transmits a pristine, full-range audio signal up to 65' at CD-quality (16-bit/48KHz) with ultra-low latency.



SoundPath Tri-Band Wireless Audio Adaptor

Transmitter/receiver set for full range audio transmission in crowded wireless environments.



SoundPath Tri-Band Wireless Audio Receiver

Up to three receivers can be paired to one transmitter to create a multi-room distributed audio system or for use with multiple powered subwoofers or speakers



£107.50

£165.83

£129.00

£199.00



SoundPath Isolation System

Benefits include:

Less buzz/rattle from objects in the room; Cleaner and tighter sounding bass with less floor boom and vibration; Affordable and discreet alternative to platforms and risers; Works with any brand subwoofer which accepts screw-in feet



| SVS Soundpath Feet (4 pack) | | £54.17 | £65.00 |
|-----------------------------|--|--------|--------|
| SVS Soundpath Feet (6 pack) | | £65.83 | £79.00 |

