




RETAIL Price List - Valid From October 2024

SVS Sealed Subwoofers

SVS design engineers have achieved excellent deep bass extension and output from our sealed subwoofers, using expertly tuned high-power DSP amplifiers and long-stroke driver motors customised for a sealed application. Feature handsomely designed cabinets, perforated metal grilles, and high-end finish options.

			RETAIL ex VAT	RETAIL inc VAT
<p>SB-1000 Pro (Black Ash) Driver: 12" Amplifier: 325 watts RMS (820 watts peak), Class D Frequency Response: 20Hz to 270Hz (+/-3dB); In Room Low Freq – 18Hz Weight – 11.9kg Dimensions (H x W x D mm): With Grille 342 x 330 x 375 Without Grille 342 x 330 x 352</p>			£565.83	£679.00
				
<p>SB-1000 Pro (Gloss Black or Gloss White)</p>			£649.17	£779.00
<p>SB-2000 Pro (Black Ash) Front-firing 12" high-excursion SVS driver Rear-mounted 550W RMS Class D amplifier with 1,500W Frequency Response: 19-240 Hz ±3 dB Dual 3.5-inch ports Protective non-resonant extra-thick ABS fabric mesh grille Dimensions (H x W x D with grille mm): 372 x 360 x 395 Weight (unboxed with grille): 17.5 kg</p>			£874.17	£1,049.00
				
<p>SB-2000 Pro (Black Gloss, White Gloss Special Order)</p>			£957.50	£1,149.00
<p>3000 Micro (Gloss Black or Gloss White) Fully Active Dual Opposing 8-inch drivers Frequency Response: 23Hz to 240Hz +/-3dB Dimensions (H x W x D with grille mm): 278 x 297 x 271; Weight: 10.2kg</p>			£832.50	£999.00
				

RETAIL Price List - Valid From October 2024

SVS Sealed Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>SB-3000 (Black Ash)</p> <p>Reference subwoofer performance from a small cabinet at an ultra-competitive price.</p> <p>Front-firing 13" high-excursion SVS driver</p> <p>Rear-mounted 800W RMS (> 2500W peak) amplifier with Intelligent Control Interface (ICI)</p> <p>Freq. Response: 18-270Hz ±3 dB</p> <p>Premium Black Ash and Piano Gloss Black finishes Protective non-resonant steel mesh grille Dimensions (H x W x D with grille mm): 397 x 385 x 451 Weight (unboxed): 24.7 kg</p>			£1,182.50	£1,419.00
<p>SB-3000 (Gloss Black and Gloss White)</p>			£1,232.50	£1,479.00
<p>SB-4000 (Black Oak)</p> <p>Unparalleled Low Frequency Depth, Power and Detail Amplifier Power: 1200W (continuous power) / 4200W (peak dynamic power) Proprietary 13.5" 4000 Series Driver: 19.5kg Woofer with 17.1kg motor, overhung 52mm Xmax, 76.2mm Xmech precision aligned excursion</p> <p>Frequency Response: 19 - 310 Hz (± 3 dB)</p> <p>Max Low Frequency Output: 126.8dB @ 32Hz 1/8 space 1m</p> <p>Dimensions (H x W x D mm): 465 x 453 x 530</p> <p>Weight: 46.4 kg</p>			£1,807.50	£2,169.00
<p>SB-4000 (Gloss Black)</p>			£1,832.50	£2,199.00
<p>SB16-ULTRA (Black Oak, Black Gloss)</p> <p>Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil 1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier</p> <p>Innovative Apple iOS and Android App for Subwoofer Control and Bass Management Premium Black Oak and Piano Gloss Black Finish Protective, Non-resonant Steel Mesh Grille Frequency Response: 16 - 460 Hz ± 3 dB Dimensions (H x W x D with grille mm): 508 x 495 x 511 Weight: 55.3 kg</p>			£2,415.83	£2,899.00



RETAIL Price List - Valid From October 2024

SVS Sealed Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>SB17-ULTRA (Black Oak, Black Gloss)</p> <p>Proprietary 17" glass fibre SVS Driver with dual 8" Edge Wound Voice Coil; dual mono-block STA-2800D Class-D amplifier with MOSFET output stage; Innovative Apple iOS, Android, Amazon Fire App for Subwoofer Control and Bass Management, auto room correction; Frequency Response: 15Hz to 320Hz +/-3dB; Dimensions (H x W x D with grille mm): 507 x 495 x 537; Weight: 56.25 kg</p>			£2,708.33	£3,250.00



SVS Maximum Performance Ported Subwoofers

With handsome cabinet designs, a variety of upscale finish options, and a sleek perforated metal grille, these subwoofers look as good as they perform. Optimal enclosure volume, deep-tuned porting, high-performance drivers, and plenty of intelligent DSP amplifier power are the hallmarks of this design, and provide unmatched performance and value.



			RETAIL ex VAT	RETAIL inc VAT
<p>PB-1000 Pro (Black Ash)</p> <p>Driver: 12" Amplifier: 325 watts RMS (820 watts peak), Class D Frequency Response: 17Hz to 260Hz Standard +/-3dB; 19Hz to 260Hz Sealed +/-3dB; In Room Low Freq – 18Hz Weight: 19.3kg Dimensions (H x W x D mm): With Grille 479 x 380 x 509 Without Grille 467 x 380 x 488</p>			£740.83	£889.00



<p>PB-2000 Pro (Black Ash)</p> <p>Protective non-resonant extra-thick ABS fabric mesh grille Front-firing 12" high-excursion SVS driver Dual 3" ports Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI) Freq. Response: 16-290 Hz ±3 dB (standard mode); 17-290 Hz ±3 dB (sealed mode) Iso-elastomer feet Robust MDF cabinet construction Dimensions (H x W x D with grille mm): 532 x 440 x 600 Weight (unboxed with grille): 29.4 kg</p>			£1,032.50	£1,239.00
---	--	--	------------------	------------------



RETAIL Price List - Valid From October 2024

SVS Ported Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>PB-3000 (Black Ash)</p> <p>Reference subwoofer performance at a breakthrough price. Front-firing 13" high-excursion SVS driver Rear-mounted 800W RMS (>2500+W peak) amplifier with Intelligent Control Interface (ICI) Freq. Response: 16-260 Hz ± 3 dB (standard mode); 18-260 Hz ± 3 dB (sealed mode) Dual 3.5-inch ports Premium Black Ash finish Protective non-resonant steel mesh grille Dimensions (H x W x D with grille mm): 557 x 465 x 660 Weight (unboxed): 37.3 kg</p>			£1,582.50	£1,899.00
				
<p>PB-4000 (Black Oak)</p> <p>Jaw-Dropping Bass Extension and Output with Pinpoint Control and Accuracy Amplifier Power: 1200W (continuous power) / 4200W (peak dynamic power) Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion Frequency Response: 16Hz to 200Hz (± 3 dB standard mode) 13Hz to 200Hz (± 3 dB extended mode) 18Hz to 200Hz (± 3 dB sealed mode) Max Low Frequency Output: 134.5dB @ 32Hz 1/8 space 1m Weight: 69.5 kg Dimensions (H x W x D with grill mm): 595 x 520 x 763</p>			£2,249.17	£2,699.00
				
<p>PB-4000 (Black Gloss)</p>			£2,332.50	£2,799.00

RETAIL Price List - Valid From October 2024

SVS Ported Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>PB16-ULTRA (Black Oak, Black Gloss) Proprietary 16" SVS Driver with Massive 8" Edge Wound Voice Coil 1500W Continuous, 5160W Peak Dynamic Power Sledge Amplifier Innovative Apple iOS and Android App for Subwoofer Control and Bass Management Premium Black Oak and Piano Gloss Black Finish Protective, Non-resonant Steel Mesh Grille Frequency Response: 15 - 280 Hz (± 3 dB) Dimensions (H x W x D with grille mm): 635 x 551 x 785 Weight: 55.3 kg</p>			£2,982.50	£3,579.00
				
<p>PB17-ULTRA (Black Oak, Black Gloss) Proprietary 17" glass fibre SVS Driver with dual 8" Edge Wound Voice Coil; dual mono-block STA-2800D Class-D amplifier with MOSFET output stage; Innovative Apple iOS, Android, Amazon Fire App for Subwoofer Control and Bass Management, auto room correction; Frequency Response: 14Hz to 220Hz +/-3dB; Dimensions (H x W x D with grille mm): 635 x 550 x 744; Weight: 74.70 kg</p>			£3,125.00	£3,750.00
				
<p>SVS Powered Cylinder Subwoofers With just a 16.5" diameter, no other family of subwoofers provides more bass performance per square inch of floor space. This unique and proprietary cylinder design utilises vertical space in order to achieve perfectly deep-tuned bass. With a sleek footprint, these cylinder subwoofers fit conveniently into any theatre room without sacrificing performance. A bottomfiring, long-stroke driver provides a low centre of gravity and excellent stability. The exclusive integrated amp-mount provides a secure and elegant platform for our sophisticated DSP amplifiers. Complete with resonance-free grille.</p>				
<p>PC-2000 Pro (Black Gloss) Down-firing 12" high-excursion SVS driver Rear-firing 4" port Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI) Frequency Response: 16 - 290Hz (+/-3dB standard mode) 17 - 290Hz (+/-3dB sealed mode) SVS SoundPath Subwoofer Isolation System Robust MDF cabinet construction Dimensions (H x Diameter mm): 872 x 422 Weight (unboxed): 21.5 kg</p>			£1,032.50	£1,239.00
				

RETAIL Price List - Valid From October 2024

SVS Ported Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
PC-4000			£2,082.50	£2,499.00

PC-4000

Reference-calibre bass with smaller footprint just 16" diameter
 Amplifier Power:
 1200W (continuous power) / 4200W (peak dynamic power)
 Proprietary 13.5" 4000 Series Driver: 22.5kg Woofer with 20.1kg motor, underhung 53mm Xmax, 91.6mm Xmech precision aligned excursion
 Frequency Response:
 17 - 200Hz (+/-3dB standard mode)
 15 - 200Hz (+/-3dB extended mode)
 16 - 200Hz (+/-3dB sealed mode)
 Max Low Frequency Output: 133.1dB @ 32Hz 1/8 space 1m Finishes:
 Piano Gloss Black
 Weight: 41.9kg (with grille)
 Dimensions (H x Diameter with grille mm): 1190 x 419



SVS Ultra Evolution Speakers

Ultra Evolution is the new flagship series representing the culmination of advancements in SVS audio design to achieve performance that transcends its price class. Features seven new models, including three floorstanding tower speakers, two bookshelf speakers, 3-way center channel, and Ultra Elevation height effects/surround speaker.



Ultra Evolution Pinnacle

3-way Floor-Standing Tower Loudspeaker
 Features: Acoustically Centred Time Alignment Cabinet Architecture
 1" Diamond Coated Aluminium Dome Tweeter
 Quad 8" Glass Fibre Woofers in Force-Balanced Array
 Dual 5.25" Glass Fibre Composite Midrange Drivers
 Dual 3" wide-flared rear-firing ports
 Frequency Response: 24Hz to 40kHz (+/-3 dB)
 Nominal Impedance: 6 ohms
 Sensitivity: 88dB (2.83V @ 1 metre full-space, 300Hz – 3kHz)
 Recommended amplifier power: 20 – 300 watts
 Piano gloss black, piano gloss white, real black oak veneer finish options Spiked metal screw-in feet included – adjustable for level
 Overall Dimensions: 1275mm (H) x 300mm (W) x 460.7mm (D) (includes grille, feet, and binding posts)
 Weight Unboxed: 43.9 kgs






Ultra Evolution Pinnacle, Black Ash, Gloss Black, Gloss White pair			£4,999.17	£5,999.00
---	--	--	------------------	------------------

RETAIL Price List - Valid From October 2024

Ultra Evolution Speakers			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Titan 3-way Floor-Standing Tower Loudspeaker Features: Acoustically Centred Time Alignment Cabinet Architecture 1" Diamond Coated Aluminium Dome Tweeter Quad 6.5" Glass Fibre Woofers in Force-Balanced Array Dual 4.5" Glass Fibre Composite Midrange Drivers Dual 2.5" wide-flared rear-firing ports Frequency Response: 27Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 88dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 300 watts Piano gloss black, piano gloss white, real black oak veneer finish options Spiked metal screw-in feet included – adjustable for level Overall Dimensions: 1197mm (H) x 249mm (W) x 439.3mm (D) (includes grille, feet, and binding posts) Weight Unboxed: 31.6 kgs</p>				
<p>Ultra Evolution Titan, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£4,165.83	£4,999.00
<p>Ultra Evolution Tower 3-way Floor-Standing Tower Loudspeaker Features: Acoustically Centred Time Alignment Cabinet Architecture 1" Diamond Coated Aluminium Dome Tweeter Quad 5.25" Glass Fibre Woofers in Force-Balanced Array Dual 4.5" Glass Fibre Composite Midrange Drivers Dual 2.5" wide-flared rear-firing ports Frequency Response: 30Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 300 watts Piano gloss black, piano gloss white, real black oak veneer finish options Spiked metal screw-in feet included – adjustable for level Overall Dimensions: 1130mm (H) x 218mm (W) x 424mm (D) (includes grille, feet, and binding posts) Weight Unboxed: 27.0 kgs</p>				
<p>Ultra Evolution Tower, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£2,999.17	£3,599.00

RETAIL Price List - Valid From October 2024

Ultra Evolution Speakers			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Bookshelf 2-way Bookshelf Loudspeaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter 6.5" Glass Fibre Woofer 2" wide-flared rear-firing port Frequency Response: 40Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 150 watts Piano gloss black, piano gloss white, real black oak veneer finish options Overall Dimensions: 382mm (H) x 220mm (W) x 295.6mm (D) (includes grille and SVS Multi-Angle Wall Bracket) Weight Unboxed: 8.6 kgs</p>				
<p>Ultra Evolution Bookshelf, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£1,249.17	£1,499.00
<p>Ultra Evolution Center 3-way Centre Speaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter Dual 6.5" Glass Fibre Woofers Overall Dimensions: 199mm (H) x 560mm (W) x 299.2mm (D) (includes grille, feet, and binding posts)</p>				
<p>Ultra Evolution Center, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£832.50	£999.00
<p>SVS Ultra Elevation Height/Surround Speaker Versatile 2-way height/surround speaker Features: Multi-Angle Wall/Ceiling Mount Optimised Angled Front Baffle 1" Diamond Coated Aluminium Dome Tweeter 5.25" Glass Fibre Woofer Overall Dimensions: 283mm (H) x 185mm (W) x 249.4mm (D) (includes grille and SVS Multi-Angle Wall Bracket)</p>				
<p>Ultra Elevation Height, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£915.83	£1,099.00

RETAIL Price List - Valid From October 2024

Ultra Evolution Speakers			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Nano Compact 2-way Bookshelf Speaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter 5.25" Glass Fibre Woofer Overall Dimensions: 314mm (H) x 190mm (W) x 243mm (D) (includes grille and SVS Multi-Angle Wall Bracket)</p>				
<p>Ultra Evolution Nano, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£915.83	£1,099.00

SVS Ultra Speakers
 Led by award-winning designer Mark Mason, every aspect of the Ultra Speaker design was developed with extreme performance, stunning aesthetics and superb fidelity as the overriding priorities. The finest quality materials and components were used, with many parts being custom-designed exclusively for this application. The Ultra Speakers were modelled using the most sophisticated engineering available, including finite element analysis (FEA) to optimise performance. Each speaker was refined after months of anechoic chamber and calibrated listening room measurements at the world-renowned National Research Council facilities in Canada.

Ultra Speakers			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Bookshelf (pair) Bookshelf Monitor Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts 1.7" wide-flared rear-firing port Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 379 x 216 x 254 Weight: 8.62 kg</p>			£1,124.17	£1,349.00

RETAIL Price List - Valid From October 2024

SVS Ultra Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Centre Centre Channel Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts Dual 1.7" wide-flared rear-firing ports Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 203 x 559 x 254 Weight: 14.1 kg</p>			£732.50	£879.00
<p>Ultra Surround (pair) Dual Baffle Surround Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual independent gold-plated 5-way binding posts Cloth grille with pin/cup retention system Aluminium wall mounting bracket with safety catch feature to help prevent inadvertent removal Dimensions (H x W x D mm): 356 x 312 x 137 Weight: 8.16 kg</p>			£1,107.50	£1,329.00
<p>Ultra Tower (pair) Floor Standing Tower Loudspeaker Available in Black Piano gloss and Black Oak veneer Dual gold-plated 5-way binding posts, 3.5" wide flared rear-firing port Cloth grille with pin/cup retention system Dimensions (H x W x D mm): 1143 x 350 x 413 Weight: 34.2 kg</p>			£2,499.17	£2,999.00



RETAIL Price List - Valid From October 2024

RETAIL
ex VAT

RETAIL
inc VAT

SVS Prime Series Speakers

Consisting of Pinnacle, Elevation, Bookshelf, Tower, Centre and Satellite models, the Prime Series is SVS' second full-range speaker family offering. SVS has combined knowledge gained from developing the award-winning Ultra Series with new engineering and form factor changes to achieve flagship performance, features and specifications from the Prime Series at mainstream prices. The Prime Series introduces the experience of high-end audio to a broader audience.

Prime Pinnacle (Black Ash pair)

The ultimate expression of what SVS sought to create with the Prime Series loudspeakers is epitomized in Prime Pinnacle. Audiophile refinement and musicality without sacrificing wide dynamic range, deep, effortless bass and all the excitement of a world-class loudspeaker.

Floor Standing Tower Loudspeaker

1" Aluminium Dome Tweeter:

FEA-optimized diffuser for airy and unveiled presentation, Aluminium dome for exceptional transient response

5.25" Midrange Polypropylene cone Driver:

Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

Triple 6.5" Polypropylene cone Woofers:

Long stroke motor and suspension for high output, Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

3-way crossover with premium-grade capacitors, air-core inductors and heavy-trace printed circuit boards

Rated bandwidth: 29 Hz - 25 kHz (± 3 dB)

Nominal impedance: 8 Ω

Sensitivity: 88 dB (2.83V @ 1m full-space, 300-3kHz)

Recommended amplifier power: 20 - 300 W

5-way binding posts

Triple 2" wide-flared rear-firing ports

Cloth grille with pin / cup retention system

Dimensions (H x W x D mm): 1,044 x 203 x 353

(includes grille, feet and binding posts)

Weight (Unboxed): 25.9 kg

Black ash and piano gloss black finish options

£1,665.83

£1,999.00



Prime Pinnacle (Black Gloss pair)

£1,832.50

£2,199.00

RETAIL Price List - Valid From October 2024

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Elevation (Black Ash pair)</p> <p>The Prime Elevation is designed to serve in multiple roles, including use as reflected-sound elevation modules in an immersive audio system. This compact, trapezoidal speaker is primed for ceiling, on-wall, speaker stand or shelf mounting. Each speaker includes a four position bracket for easy wall and ceiling mounting. 1" aluminium dome tweeter paired with 4.5" polypropylene mid / woofer Frequency response: 69 Hz - 25 kHz (+/- 3dB)</p>			£474.17	£569.00
<p>Prime Elevation (Black Gloss, White Gloss pair)</p>			£557.50	£669.00
<p>Prime Bookshelf (Black Ash pair)</p> <p>1" aluminium dome tweeter 6.5" polypropylene cone woofer SoundMatch Crossover Network: 2-way crossover 1.7" wide-flared rear-firing port Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W Dimensions (H x W x D mm): 338 x 336 x 262 (includes grille and bumper feet) Weight Unboxed: 7.0 kg</p>			£557.50	£669.00
<p>Prime Bookshelf (Black Gloss pair)</p>			£632.50	£759.00



RETAIL Price List - Valid From October 2024

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Tower (Black Ash pair) 1" aluminium dome tweeter 4.5" polypropylene cone midrange driver Dual 6.5" polypropylene cone woofers SoundMatch Crossover Network: 3.5-way crossover Dual 1.7" wide-flared rear-firing ports Rated bandwidth: 30 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 250W Dimensions (H x W x D mm): 930 x 203 x 295 (includes grille and feet) Weight Unboxed: 18.2 kg</p>			£1,082.50	£1,299.00
				
<p>Prime Tower (Gloss Black pair)</p>			£1,249.17	£1,499.00
<p>Prime Centre (Black Ash each) 1" aluminium dome tweeter 3.5" midrange driver Dual 5.25" woofers SoundMatch Crossover Network: 3-way crossover Dual 1" wide-flared rear-firing ports Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 86 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 200W Dimensions (H x W x D mm): 193 x 203 x 211 (includes grille, binding posts and bumper feet) Weight Unboxed: 9.2 kg</p>			£415.83	£499.00
				
<p>Prime Centre (Black Gloss each)</p>			£482.50	£579.00

RETAIL Price List - Valid From October 2024

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Satellite (Black Ash pair) 1" aluminium dome tweeter 4.5" polypropylene cone woofer SoundMatch Crossover Network: 2-way crossover 1" wide-flared rear-firing port Rated bandwidth: 69 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 85 dB (2.83V @ 1m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W Keyway bracket for easy and convenient wall mounting (includes extra bumper pads for wall stand-off) Dimensions (H x W x D mm): 225 x 125 x 160 (includes grille and bumper feet) Weight Unboxed: 3.0 kg</p>			£324.17	£389.00
<p>Prime Satellite (Black Gloss, White Gloss pair)</p>			£374.17	£449.00
<p>Prime 2.1 System (Black Ash) Complete 2.1 system featuring a pair of Prime Satellites and SB-1000 subwoofer. 2 x Prime Satellite Speakers for a complete audio system in Black Ash 1 x SB-1000, 13" subwoofer in Black Ash</p>			£782.50	£939.00
<p>Prime 2.1 System (Black Gloss, White Gloss)</p>			£882.50	£1,059.00




RETAIL Price List - Valid From October 2024


SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime 5.1 System (Black Ash) Complete 5.1 system featuring five Prime Satellites and an SB-1000 subwoofer 5 x Prime Satellite Speakers for a complete 5-channel speaker system in Black Ash, Gloss Black or Gloss White 1 x SB-1000, 13" subwoofer in Black Ash, Gloss Black or Gloss White Upgrade to 7.1 or 9.1 with additional Prime Series Satellites for an even more immersive experience</p>			£1,124.17	£1,349.00
<p>Prime 5.1 System (Gloss Black, Gloss White)</p>			£1,315.83	£1,579.00
<p>Prime Wireless Pro Speaker System The next-gen Prime Wireless Pro system comprises a two-channel powered speaker array integrating a 200W (4 x 50W) amplifier, sophisticated 192KHz/24-bit DAC, and precisely tuned digital crossover for best-in-class dynamics, bass and clarity. The system will stream hi-res audio wirelessly via Wi-Fi, Airplay 2, and Google Cast. Bluetooth enabled, it also features HDMI, line level, optical, and ethernet inputs, and a subwoofer output. Easy control is achieved via smartphone or desktop app, IR remote, voice commands, and data rich front panel interface.</p>				
<p>2-Channel active/passive powered stereo speaker array for pinpoint stereo imaging 200 watt amplifier (50 watts x 4) for stunning output from compact cabinet Stream Hi-Res audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices Bluetooth with aptX HDMI, Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs, Subwoofer Output Control via smartphone/desktop app, front panel and IR remote. 24-bit/192kHz DAC for ultra-high-res audio streaming</p>			£832.50	£999.00



RETAIL Price List - Valid From October 2024

Prime Wireless (continued)		RETAIL ex VAT	RETAIL inc VAT
<p>Prime Wireless Pro Soundbase Smart wireless integrated amplifier: 300 watt stereo (150 watts x 2); Stream High-Resolution audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices; Spotify Connect; Bluetooth with aptX/AAC for optimal sound quality; HDMI ARC/eARC Input for Connecting Directly to TV; Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs; Control via smartphone/desktop app, front panel, IR remote and voice; 24-bit/192kHz DAC for High-Resolution wireless streaming; 6 front panel presets for one-touch access to music services and playlists.</p>		£665.83	£799.00
<p>Soundpath Wireless Audio Adaptor Add wireless connectivity to subwoofers, speakers, amplifiers and more. Transmits a pristine, full-range audio signal up to 65' at CD-quality (16-bit/48kHz) with ultra-low latency.</p>			£107.50
<p>SoundPath Tri-Band Wireless Audio Adaptor Transmitter/receiver set for full range audio transmission in crowded wireless environments.</p>			£165.83
<p>SoundPath Tri-Band Wireless Audio Receiver Up to three receivers can be paired to one transmitter to create a multi-room distributed audio system or for use with multiple powered subwoofers or speakers</p>			£82.50
<p>SoundPath Speaker Level Subwoofer Adaptor Connect a subwoofer to an amp that lacks line level RCA outputs. Steps down voltage from speaker-level to RCA line-level with no loss of fidelity and no power draw from the amplifier.</p>			£74.17

RETAIL Price List - Valid From October 2024

Prime Wireless (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>SoundPath Isolation System Benefits include: Less buzz/rattle from objects in the room; Cleaner and tighter sounding bass with less floor boom and vibration; Affordable and discreet alternative to platforms and risers; Works with any brand subwoofer which accepts screw-in feet.</p>				
SVS Soundpath Feet (4 pack)			£54.17	£65.00
SVS Soundpath Feet (6 pack)			£65.83	£79.00