

Retail Price List - Valid From June 2026

In-akustik is a brand of high-performance AV cables and connectors engineered and hand-built in Germany since 1977. Guided by the mantra “physics not voodoo” In-akustik mixes the latest science with the best materials and meticulous German engineering and innovation to minimise signal loss in the cable. As its website confirms “the best cable is not the one that gets the most out of a system, but the one that loses the least of the original signal. Cables act like antennae and attract external interference which can only be minimised with technical finesse and the finest materials”.



AIR HELIX TECHNOLOGY

The laws of nature cannot be switched off. A cable, like a battery, stores energy temporarily and releases it again with a delay. This effect strongly influences the transmission of audio signals and is undesirable. Cable capacitance is affected by the insulation material, the so-called dielectric, which can increase the capacity many times over. Air on the other hand does not do this and is therefore the ideal insulator. The air-helix construction is wholly unique. In-akustik has developed a special clip to ensure air insulation that is as close to perfection as possible. A large number of these clips form the supporting structure on the inside of the cable. This holds the signal conductor free in the air in a helix

form and guides it through the cable at defined intervals. The flexibility of this construction is attained with two bridges that hold the clips together evenly and at exact intervals.

HANDMADE

In-akustik has long set the bar very high in regard to quality because cables and connections are extremely sensitive. Physical phenomena that arise during the transmission of signals can only be controlled with technical finesse and the best materials. For this reason, all cables are manufactured in a German cable mill and finished by hand at In-akustik.

LOUDSPEAKER CABLES

S25 range 225

- High-purity OFC copper
- Compact multicore construction
- Flexible, durable materials



			UK SRP EX VAT 20%	UK SRP INC VAT 20%
Speaker 225 2x3m BFA SW			£250.00	£300.00
Speaker 225 2x3m Spade SW			£233.33	£280.00

415

- High-purity OFC copper
- Compact multicore construction
- Gold plated connectors
- Conductor cross-section: 2 x 3.0 mm²



Speaker 415 2x3m BFA SW			£316.67	£380.00
Speaker 415 2x3m BFA SBW			£387.50	£465.00
Speaker 415 2x3m Spade SW			£279.17	£335.00
Speaker 415 2x3m Spade SBW			£320.83	£385.00

Retail Price List - Valid From June 2026

LOUDSPEAKER CABLES

425

- High-purity OFC copper
- Compact multicore construction
- Gold plated connectors
- Conductor cross-section: 2 x 5.0 mm²



			UK SRP EX VAT 20%	UK SRP INC VAT 20%
Speaker 425 2x3m BFA SW			£362.50	£435.00
Speaker 425 2x3m BFA SBW			£437.50	£525.00
Speaker 425 2x3m Spade SW			£316.67	£380.00
Speaker 425 2x3m Spade SBW			£358.33	£430.00

LS-104 MICRO AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design



LS-104 Micro AIR	Easy Plug 2x3m		£441.67	£530.00
LS-104 Micro AIR	BFA 2x3m		£525.00	£630.00
LS-104 Micro AIR	SPADE 2x3m		£591.67	£710.00
Per additional metre			£112.50	£135.00

LS-204 MICRO AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design
- 4-fold multicore architecture



LS-204 Micro AIR	Easy Plug 2x3m		£591.67	£710.00
LS-204 Micro AIR	Easy Plug SBW 2x3m		£620.83	£745.00
LS-204 Micro AIR	BFA 2x3m		£675.00	£810.00
LS-204 Micro AIR	BFA 2x3m SBW		£733.33	£880.00
LS-204 Micro AIR	SPADE 2x3m		£733.33	£880.00
LS-204 Micro AIR	SPADE SBW 2x3m		£791.67	£950.00
Per additional metre			£155.83	£187.00

Retail Price List - Valid From June 2026

LOUDSPEAKER CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

LS-204XL MICRO AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design
- 6-fold multicore architecture



LS-204XL Micro AIR	Easy Plug 2x3m			£733.33	£880.00
LS-204XL Micro AIR	BFA 2x3m			£812.50	£975.00
LS-204XL Micro AIR	SPADE 2x3m			£875.00	£1,050.00
Per additional metre				£189.17	£227.00

LS-404 MICRO AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design
- 8-fold multicore architecture



LS-404 Micro AIR	Easy Plug 2x3m			£816.67	£980.00
LS-404 Micro AIR	Easy Plug 2x3m SBW			£845.83	£1,015.00
LS-404 Micro AIR	BFA 2x3m			£900.00	£1,080.00
LS-404 Micro AIR	BFA 2x3m SBW			£987.50	£1,185.00
LS-404 Micro AIR	SPADE 2x3m			£945.83	£1,135.00
LS-404 Micro AIR	SPADE 2x3m SBW			£1,033.33	£1,240.00
Per additional metre				£220.83	£265.00



Retail Price List - Valid From June 2026

LOUDSPEAKER CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

LS-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound



LS-1205 AIR	2x3m BFA			£2,154.17	£2,585.00
LS-1205 AIR	2x3m SPADE			£2,154.17	£2,585.00
Per additional metre				£616.67	£740.00
LS-1205 AIR Pure Silver	2x3m BFA			£11,241.67	£13,490.00
LS-1205 AIR Pure Silver	2x3m SPADE			£11,241.67	£13,490.00
Per additional metre				£3,437.50	£4,125.00

LS-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- BFA banana & spade lug 360° adjustable



LS-2405 AIR	2x3m BFA SW or SPADE			£4,308.33	£5,170.00
LS-2405 AIR 2x3m BFA SBW or SPADE	2x3m BFA SBW or SPADE			£4,675.00	£5,610.00
Per additional metre				£1,208.33	£1,450.00
LS-2405 AIR Pure Silver	2x3m SW			£19,250.00	£23,100.00
LS-2405 AIR Pure Silver	2x3m SBW			£19,250.00	£23,100.00
Per additional metre				£6,025.00	£7,230.00



Retail Price List - Valid From June 2026

LOUDSPEAKER CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

LS-4005 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit



LS-4005 AIR	2x3m BFA			£7,012.50	£8,415.00
LS-4005 AIR	2x3m BFA SBW			£7,375.00	£8,850.00
LS-4005 AIR	2x3m Spade SW			£7,012.50	£8,415.00
LS-4005 AIR	2x3m Spade SBW			£7,375.00	£8,850.00
Per additional metre				£2,062.50	£2,475.00
LS-4005 AIR Pure Silver	2x3m SW			£31,900.00	£38,280.00
LS-4005 AIR Pure Silver	2x3m SBW			£32,358.33	£38,830.00
Per additional metre				£9,979.17	£11,975.00

LS-8005 AIR

- “Point-to-point Air Helix” for authentic sound
- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- BFA banana & spade lug 360° adjustable



LS-8005 AIR	2x3m SW			£17,987.50	£21,585.00
LS-8005 AIR	2x3m SBW			£19,783.33	£23,740.00
Per additional metre				£4,812.50	£5,775.00
LS-8005 AIR Pure Silver	2x3m SW			£79,750.00	£95,700.00
LS-8005 AIR Pure Silver	2x3m SBW			£81,583.33	£97,900.00
Per additional metre				£24,083.33	£28,900.00

Retail Price List - Valid From June 2026

AUDIO CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

S25 range

- High-purity OFC copper
- Dense shielding
- Foamed PE dielectric
- Durable full-metal connectors with gold-plated contacts
- Precise 75-ohm impedance for digital
- Symmetrical dual-mono architecture with grounding cable for phono



S25 RCA to RCA 1m			£130.83	£157.00
S25 RCA to XLR 1m			£204.17	£245.00
PHONO RCA 1m			£158.33	£190.00
PHONO XLR 1m			£204.17	£245.00
DIGITAL RCA single 1m			£66.67	£80.00

NF-104 AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design
- Coaxial architecture



NF-104 Micro AIR	Stereo RCA 0.75m		£252.08	£302.50
NF-104 Micro AIR	Stereo RCA 1.0m		£275.00	£330.00

NF-202

- Jacket: The PE network jacket prevents micro-vibrations.
- PE tube: The PE tubes increase the air content, which further reduces the capacitance of the cables.
- Conductor: Solid conductor made of high-purity OFC copper ensures almost crystal-clear signal transmission.
- Double shielding: Protects against EMC interference from mobile phone and WiFi networks



NF-202	Stereo RCA 0.6m		£206.25	£247.50
NF-202	Stereo RCA 1.2m		£252.08	£302.50
NF-202	PHONO RCA-RCA stereo 1.5m		£339.17	£407.00
NF-202	PHONO SME 90°-RCA 1.5m		£385.00	£462.00

Retail Price List - Valid From June 2026

AUDIO CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

NF-204 MICRO AIR

- Micro Air technology
- Air dielectric
- Concentric copper conductor design
- Symmetrical architecture



NF-204 Micro AIR	Stereo RCA 0.75m			£307.08	£368.50
NF-204 Micro AIR	Stereo XLR 0.75m			£320.83	£385.00
NF-204 Micro AIR	Stereo RCA 1.0m			£348.33	£418.00
NF-204 Micro AIR	Stereo XLR 1.0m			£366.67	£440.00

NF-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



NF-1205 AIR	RCA 1.0m			£880.00	£1,056.00
NF-1205 AIR	RCA 1.5m			£1,168.75	£1,402.50
NF-1205 AIR	RCA 2.0m			£1,457.50	£1,749.00
NF-1205 AIR	XLR 1.0m			£1,168.75	£1,402.50
NF-1205 AIR	XLR 1.5m			£1,485.00	£1,782.00
NF-1205 AIR	XLR 2.0m			£1,796.67	£2,156.00
NF-1205 AIR	Pure Silver XLR 1.0m			£2,695.00	£3,234.00
PHONO 1205 AIR	Pure Silver RCA-RCA 1.0m			£2,429.17	£2,915.00

Retail Price List - Valid From June 2026

AUDIO CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

NF-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



NF-2405 AIR	RCA 1.0m			£1,572.08	£1,886.50
NF-2405 AIR	XLR 1.0m			£1,663.75	£1,996.50
NF-2405 AIR	Pure Silver RCA 1.0m			£3,506.25	£4,207.50
NF-2405 AIR	Pure Silver XLR 1.0m			£4,308.33	£5,170.00

NF-4005 AIR

- “Point-to-point Air Helix” for authentic sound
- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit
- XLR connectors can be adjusted by +/- 45 degrees



NF-4005 AIR	RCA 1.0m			£3,593.33	£4,312.00
NF-4005 AIR	XLR 1.0m			£5,843.75	£7,012.50
NF-4005 AIR	Pure Silver RCA 1.0m			£6,292.92	£7,551.50
NF-4005 AIR	Pure Silver XLR 1.0m			£8,089.58	£9,707.50

Retail Price List - Valid From June 2026

DIGITAL CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

DIGITAL-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



DIGITAL-2405 AIR	RCA 1.0m			£898.33	£1,078.00
DIGITAL-2405 AIR	XLR 1.0m			£989.08	£1,186.90
DIGITAL-2405 AIR	Pure Silver RCA 1.0m			£2,429.17	£2,915.00
DIGITAL-2405 AIR	Pure Silver XLR 1.0m			£2,695.00	£3,234.00

USB CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

USB-2405 AIR

- “Point-to-point Air Helix” for authentic sound.
- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- USB connectors can be adjusted by +/- 45 degrees



USB-2405 AIR	A-B 1.0m			£1,067.92	£1,281.50
USB-2405 AIR	Pure Silver A-B 1.0m			£2,869.17	£3,443.00



Retail Price List - Valid From June 2026

CAT CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

CAT 7

- Supports 10/100/1000 BASE-T | 10 GBASE-T
- Supports UHD video streaming
- Bandwidth: 1200 MHz



CAT 7	Length	UK SRP EX VAT 20%	UK SRP INC VAT 20%
CAT 7	0.75m	£201.67	£242.00
CAT 7	1.5m	£206.25	£247.50
CAT 7	3.0m	£229.17	£275.00
CAT 7	5.0m	£265.83	£319.00
CAT 7	7.5m	£311.67	£374.00
CAT 7	10m	£348.33	£418.00
CAT 7	20m	£513.33	£616.00

CAT 8.1

- Engineered to minimize jitter and signal distortion
- Triple-layer hyper-shielding for optimal protection against interference
- Quad twisted pairs with high-purity OFC copper for stable data transmission
- Supports data rates up to 40 Gbps
- Designed for high-end streaming, HD audio, and UHD video



CAT 8.1	Length	UK SRP EX VAT 20%	UK SRP INC VAT 20%
CAT 8.1	1.0m	£210.83	£253.00
CAT 8.1	1.5m	£220.00	£264.00
CAT 8.1	2.0m	£229.17	£275.00
CAT 8.1	3.0m	£229.17	£275.00
CAT 8.1	5.0m	£293.33	£352.00

CAT-2405 AIR

- Air Helix construction: Air as dielectric reduces crosstalk
- High-density shielding protects against electromagnetic interference
- RJ45 connector with $\pm 45^\circ$ rotation for flexible cable routing
- CAT 8.1 standard – up to 2000 MHz bandwidth



CAT-2405 AIR	Length	UK SRP EX VAT 20%	UK SRP INC VAT 20%
CAT-2405 AIR	1.0m	£1,040.42	£1,248.50

Retail Price List - Valid From June 2026

PHONO CABLES

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

PHONO-1205 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



PHONO 1205 AIR	SME-RCA 1.0m			£898.33	£1,078.00
PHONO 1205 AIR	Pure Silver SME-RCA 1.0m			£2,429.17	£2,915.00

PHONO-2405 AIR

“Point-to-point Air Helix” for authentic sound.

- Air as the ultimate dielectric minimizes capacitance
- Cross Link Super Speed waveguide for a balanced sound
- XLR connectors can be adjusted by +/- 45 degrees
- The RCA-SL connectors are pressure-grouted using a force of 1.5 tonnes for a precision fit.



PHONO-2405 AIR	RCA-RCA 1.0m			£989.08	£1,186.90
PHONO-2405 AIR	SME-RCA 1.0m			£1,077.08	£1,292.50
PHONO-2405 AIR	SME90°-RCA 1.0m			£1,077.08	£1,292.50
PHONO-2405 AIR	SME-XLR 1.0m			£1,168.75	£1,402.50
PHONO-2405 AIR	SME90°-XLR 1.0m			£1,168.75	£1,402.50
PHONO-2405 AIR	Pure Silver RCA-RCA 1.0m			£2,878.33	£3,454.00
PHONO-2405 AIR	Pure Silver SME-RCA 1.0m			£3,144.17	£3,773.00
PHONO-2405 AIR	Pure Silver SME90°-RCA 1.0m			£3,144.17	£3,773.00
PHONO-2405 AIR	Pure Silver SME-XLR 1.0m			£3,235.83	£3,883.00

Retail Price List - Valid From June 2026

BANANA PLUGS

UK SRP
EX VAT 20%

UK SRP
INC VAT 20%

BANANA PLUGS



BFA-103 black/white Rhodium bulk each			£15.00	£18.00
BFA-103-45 45° angled bulk each			£23.33	£28.00
Prem Banana Multicontact bulk VE 50			£9.17	£11.00
Prem Banana Multicontact Set 4 VE 50			£40.83	£49.00
BFA / Banana bulk (50) VPE 50			£8.33	£10.00
BFA / Banana Set 4 VPE 50			£35.00	£42.00
AC-4500 MAINS CONDITIONER			UK SRP EX VAT 20%	UK SRP INC VAT 20%

AC-4500 Mains Conditioner

The AC-4500 mains conditioner comes equipped with two different filter types depending on the configuration: type I for analogue devices and type II for digital devices. The filter design is completely different for both types. Type I is a series filter network in which coils conduct the useful current. These coils offer a high level of resistance against interference. However, type II is a parallel filter network that diverts troublesome interference frequencies to ground. This filter network is also very finely tuned to hi-fi requirements.

- Modular design
- Serial filter network for analogue devices, parallel filter network for digital devices
- DC suppression filters direct current components from the mains power



AC-4500	Full 6F [A A A D D D]			£5,000.00	£6,000.00
AC-4500	Mid 3F [A - D - D -]			£4,166.67	£5,000.00
AC-4500	Mid 3F [A - A - D -]			£4,166.67	£5,000.00
AC-4500	Mid 2F [A - - D - -]			£3,916.67	£4,700.00
AC-4500	Small 1F [A - - - -]			£3,666.67	£4,400.00
AC-4500	Small 1F [D - - - -]			£3,666.67	£4,400.00