







RETAIL Price List - Valid From June 2026

SVS Sealed Subwoofers

SVS design engineers have achieved excellent deep bass extension and output from our sealed subwoofers, using expertly tuned high-power DSP amplifiers and long-stroke driver motors customised for a sealed application. Feature handsomely designed cabinets, perforated metal grilles, and high-end finish options.

SVS Sealed Subwoofers			RETAIL ex VAT	RETAIL inc VAT
<p>SB-1000 Pro (Black Ash)</p> <p>Driver: 12"</p> <p>Amplifier: 325 watts RMS (820 watts peak), Class D</p> <p>Frequency Response: 20Hz to 270Hz (+/-3dB); In Room</p> <p>Low Freq – 18Hz</p> <p>Weight – 11.9kg</p> <p>Dimensions (H x W x D mm):</p> <p>With Grille 342 x 330 x 375</p> <p>Without Grille 342 x 330 x 352</p>			£565.83	£679.00
				
<p>SB-1000 Pro (Gloss Black or Gloss White)</p>			£649.17	£779.00
<p>SB-2000 Pro (Black Ash)</p> <p>Front-firing 12" high-excursion SVS driver</p> <p>Rear-mounted 550W RMS Class D amplifier with 1,500W</p> <p>Frequency Response: 19-240 Hz ±3 dB</p> <p>Dual 3.5-inch ports</p> <p>Protective non-resonant extra-thick ABS fabric mesh grille</p> <p>Dimensions (H x W x D with grille mm): 372 x 360 x 395 Weight (unboxed with grille): 17.5 kg</p>			£874.17	£1,049.00
				
<p>SB-2000 Pro (Black Gloss, White Gloss Special Order)</p>			£982.50	£1,179.00
<p>3000 Micro R Evolution</p> <p>Force Balanced Dual Opposing Active 9" Drivers</p> <p>1,200-Watts Continuous, 4,000+ Watts Peak Class-D Amplifier with discrete MOSFET output stage</p> <p>Frequency Response: 20Hz – 230Hz ±3dB</p> <p>295MHz Analog Devices DSP</p> <p>Switch Mode Power Supply</p> <p>SVS Subwoofer Control App</p> <p>Auto Room EQ (coming in Q2 2026)</p> <p>Dimensions H x W x D with grille mm): 278 x 298.8 x 273.6</p> <p>Weight: 10.2kg</p>				
				
<p>3000 Micro R Evolution (Black Gloss, White Gloss)</p>			£957.50	£1149.00

RETAIL Price List - Valid From June 2026

SVS Sealed Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>SB-3000 R Evolution (Black Ash)</p> <p>Delivers staggering output and deep bass extension with pinpoint control and accuracy from a relatively compact sealed cabinet. Driver: High-Excursion 13-inch SVS Driver; Amplifier: 1,200 watts Continuous (over 4,000+ watts peak), Class D; Frequency Response: 17Hz to 230Hz +/-3dB; Weight (unboxed): 24.9kg; Dimensions H x W x D mm: 397 x 385 x 426; Apple iOS, Google Android, and Amazon Fire compatible Subwoofer Control Smartphone app allows convenient and intuitive management of all subwoofer controls.</p>			£1,290.83	£1,549.00
				
<p>SB-3000 R Evolution (Gloss Black and Gloss White)</p>			£1,374.17	£1,649.00
<p>SB-5000 (Black Ash)</p> <p>Extends the technology platform previously developed for the flagship SVS 17-Ultra R Evolution subwoofers, delivering reference performance from smaller enclosures.</p> <p>Sealed cabinet; Front Firing 15-inch high-excursion driver; 2,000-watt continuous dual-mono Class D design, 5,000 watts peak; High resolution 295MHz Analog Devices Audio DSP; Frequency Response: 17Hz to 280Hz +/-3dB; All new Switch Mode Power Supply; Comprehensive smartphone app; Dimensions (with grille) H x W x D mm: 465 x 453 x 495; Dimensions (without grille) H x W x D mm: 465 x 453 x 468; Weight (unboxed): 46.3kg</p>			£2,083.33	£2,500.00
				
<p>SB-5000 (Gloss Black and Gloss White)</p>			£2,166.67	£2,600.00
<p>SB17-ULTRA (Black Oak, Black Gloss)</p> <p>Proprietary 17" glass fibre SVS Driver with dual 8" Edge Wound Voice Coil; dual mono-block STA-2800D Class-D amplifier with MOSFET output stage; Innovative Apple iOS, Android, Amazon Fire App for Subwoofer Control and Bass Management, auto room correction; Frequency Response: 15Hz to 320Hz +/-3dB; Dimensions (H x W x D with grille mm): 507 x 495 x 537; Weight: 56.25 kg</p>			£2,708.33	£3,250.00
				

RETAIL Price List - Valid From June 2026

SVS Ported Subwoofers

RETAIL
ex VAT

RETAIL
inc VAT

SVS Maximum Performance Ported Subwoofers

With handsome cabinet designs, a variety of upscale finish options, and a sleek perforated metal grille, these subwoofers look as good as they perform. Optimal enclosure volume, deep-tuned porting, high-performance drivers, and plenty of intelligent DSP amplifier power are the hallmarks of this design, and provide unmatched performance and value.

PB-1000 Pro (Black Ash)

Driver: 12"
 Amplifier: 325 watts RMS (820 watts peak), Class D Frequency Response: 17Hz to 260Hz Standard +/-3dB; 19Hz to 260Hz Sealed +/-3dB; In Room Low Freq – 18Hz
 Weight: 19.3kg
 Dimensions (H x W x D mm):
 With Grille 479 x 380 x 509
 Without Grille 467 x 380 x 488
PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.

RETAIL
ex VAT

RETAIL
inc VAT

£790.83

£949.00



PB-2000 Pro (Black Ash)

Protective non-resonant extra-thick ABS fabric mesh grille
 Front-firing 12" high-excursion SVS driver Dual 3" ports
 Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI)
 Freq. Response: 16-290 Hz ±3 dB (standard mode); 17-290 Hz ±3 dB (sealed mode)
 Iso-elastomer feet
 Robust MDF cabinet construction
 Dimensions (H x W x D with grille mm): 532 x 440 x 600
 Weight (unboxed with grille): 29.4 kg
PLEASE NOTE: Port bungs are not included but are available FOC at time of order or £7 if ordered separately.

£1,082.50

£1,299.00



RETAIL Price List - Valid From June 2026

SVS Ported Subwoofers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>PB-3000 R Evolution (Black Ash)</p> <p>Delivers chest-thumping, room-shaking low frequencies with control and accuracy fit for the finest systems. Driver: High-Excursion 13-inch SVS Driver; Amplifier: 1,200 watts Continuous (4,000+ watts peak), Class D; Frequency Response: 16Hz to 235Hz +/-3dB (standard mode – all ports open); 17Hz to 270Hz +/-3dB (sealed mode – all ports sealed); Weight (unboxed): 38.6kg; Dimensions H x W x D mm: 557 x 465 x 626; Apple iOS, Google Android, and Amazon Fire compatible Subwoofer Control Smartphone app allows convenient and intuitive management of all subwoofer controls.</p>			£1,665.83	£1,999.00
<p>PB-5000 (Black Ash)</p> <p>Extends the technology platform previously developed for the flagship SVS 17-Ultra R Evolution subwoofers, delivering reference performance from smaller enclosures.</p> <p>Ported cabinet; Front Firing 15-inch high-excursion driver; Triple High-flow 3.5-inch ports; 2,000-watt continuous dual-mono Class D design, 5,000 watts peak; High resolution 295Mhz Analog Devices Audio DSP; Frequency Response: 15Hz to 180Hz +/-3dB (standard mode – all ports open); 13Hz to 180Hz +/-3dB (extended mode – 2 ports open); 16Hz to 270Hz +/-3dB (sealed mode – all ports sealed); All new Switch Mode Power Supply; Comprehensive smartphone app; Dimensions (with grille) H x W x D mm: 595 x 520 x 727; Dimensions (without grille) H x W x D mm: 595 x 520 x 701; Weight (unboxed with grille): 69.8kg</p>			£2,625.00	£3,150.00
<p>PB-5000 (Gloss Black)</p>			£2,708.33	£3,250.00
<p>PB17-ULTRA (Black Oak, Black Gloss)</p> <p>Proprietary 17" glass fibre SVS Driver with dual 8" Edge Wound Voice Coil; dual mono-block STA-2800D Class-D amplifier with MOSFET output stage; Innovative Apple iOS, Android, Amazon Fire App for Subwoofer Control and Bass Management, auto room correction; Frequency Response: 14Hz to 220Hz +/-3dB; Dimensions (H x W x D with grille mm): 635 x 550 x 744; Weight: 74.70 kg</p>			£3,125.00	£3,750.00



RETAIL Price List - Valid From June 2026

SVS Cylinder Subwoofers

RETAIL
ex VAT

RETAIL
inc VAT

SVS Powered Cylinder Subwoofers

With just a 16.5" diameter, no other family of subwoofers provides more bass performance per square inch of floor space. This unique and proprietary cylinder design utilises vertical space in order to achieve perfectly deep-tuned bass. With a sleek footprint, these cylinder subwoofers fit conveniently into any theatre room without sacrificing performance. A bottomfiring, long-stroke driver provides a low centre of gravity and excellent stability. The exclusive integrated amp-mount provides a secure and elegant platform for our sophisticated DSP amplifiers. Complete with resonance-free grille.

PC-2000 Pro (Black Gloss)

Down-firing 12" high-excursion SVS driver
Rear-firing 4" port
Rear-mounted Sledge 550W RMS Class D amplifier with 1,500+ W of Peak Power and Intelligent Control Interface (ICI)
Frequency Response: 16 - 290Hz (+/-3dB standard mode) 17 - 290Hz (+/-3dB sealed mode)
SVS SoundPath Subwoofer Isolation System
Robust MDF cabinet construction
Dimensions (H x Diameter mm): 872 x 422
Weight (unboxed): 21.5 kg

£1,032.50

£1,239.00



SVS Ultra Evolution Speakers

Ultra Evolution is the new flagship series representing the culmination of advancements in SVS audio design to achieve performance that transcends its price class. Features seven new models, including three floorstanding tower speakers, two bookshelf speakers, 3-way center channel, and Ultra Elevation height effects/surround speaker.

Ultra Evolution Pinnacle

3-way Floor-Standing Tower Loudspeaker
Features: Acoustically Centred Time Alignment Cabinet Architecture 1"
Diamond Coated Aluminium Dome Tweeter
Quad 8" Glass Fibre Woofers in Force-Balanced Array
Dual 5.25" Glass Fibre Composite Midrange Drivers
Dual 3" wide-flared rear-firing ports
Frequency Response: 24Hz to 40kHz (+/-3 dB)
Nominal Impedance: 6 ohms
Sensitivity: 88dB @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 300 watts
Piano gloss black, piano gloss white, real black oak veneer finish options
Spiked metal screw-in feet included – adjustable for level
Overall Dimensions: 1275mm (H) x 300mm (W) x 460.7mm (D) (includes grille, feet, and binding posts)
Weight Unboxed: 43.9 kgs





Ultra Evolution Pinnacle, Black Ash, Gloss Black, Gloss White pair

£4,999.17

£5,999.00

RETAIL Price List - Valid From June 2026

Ultra Evolution Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Titan 3-way Floor-Standing Tower Loudspeaker Features: Acoustically Centred Time Alignment Cabinet Architecture 1” Diamond Coated Aluminium Dome Tweeter Quad 6.5” Glass Fibre Woofers in Force-Balanced Array Dual 4.5” Glass Fibre Composite Midrange Drivers Dual 2.5” wide-flared rear-firing ports Frequency Response: 27Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 88dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 300 watts Piano gloss black, piano gloss white, real black oak veneer finish options Spiked metal screw-in feet included – adjustable for level Overall Dimensions: 1197mm (H) x 249mm (W) x 439.3mm (D) (includes grille, feet, and binding posts) Weight Unboxed: 31.6 kgs</p>				
<p>Ultra Evolution Titan, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£4,165.83	£4,999.00
<p>Ultra Evolution Tower 3-way Floor-Standing Tower Loudspeaker Features: Acoustically Centred Time Alignment Cabinet Architecture 1” Diamond Coated Aluminium Dome Tweeter Quad 5.25” Glass Fibre Woofers in Force-Balanced Array Dual 4.5” Glass Fibre Composite Midrange Drivers Dual 2.5” wide-flared rear-firing ports Frequency Response: 30Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 300 watts Piano gloss black, piano gloss white, real black oak veneer finish options Spiked metal screw-in feet included – adjustable for level Overall Dimensions: 1130mm (H) x 218mm (W) x 424mm (D) (includes grille, feet, and binding posts) Weight Unboxed: 27.0 kgs</p>				
<p>Ultra Evolution Tower, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£2,999.17	£3,599.00

RETAIL Price List - Valid From June 2026

Ultra Evolution Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Bookshelf 2-way Bookshelf Loudspeaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter 6.5" Glass Fibre Woofer 2" wide-flared rear-firing port Frequency Response: 40Hz to 40kHz (+/-3 dB) Nominal Impedance: 6 ohms Sensitivity: 87dB (2.83V @ 1 metre full-space, 300Hz – 3kHz) Recommended amplifier power: 20 – 150 watts Piano gloss black, piano gloss white, real black oak veneer finish options Overall Dimensions: 382mm (H) x 220mm (W) x 295.6mm (D) (includes grille and SVS Multi-Angle Wall Bracket) Weight Unboxed: 8.6 kgs</p>				
<p>Ultra Evolution Bookshelf, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£1,249.17	£1,499.00
<p>Ultra Evolution Center 3-way Centre Speaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter Dual 6.5" Glass Fibre Woofers Overall Dimensions: 199mm (H) x 560mm (W) x 299.2mm (D) (includes grille, feet, and binding posts)</p>				
<p>Ultra Evolution Center, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£832.50	£999.00
<p>SVS Ultra Elevation Height/Surround Speaker Versatile 2-way height/surround speaker Features: Multi-Angle Wall/Ceiling Mount Optimised Angled Front Baffle 1" Diamond Coated Aluminium Dome Tweeter 5.25" Glass Fibre Woofer Overall Dimensions: 283mm (H) x 185mm (W) x 249.4mm (D) (includes grille and SVS Multi-Angle Wall Bracket)</p>				
<p>Ultra Elevation Height, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£915.83	£1,099.00



RETAIL Price List - Valid From June 2026

Ultra Evolution Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Ultra Evolution Nano Compact 2-way Bookshelf Speaker Features: Time Aligned Cabinet Geometry 1" Diamond Coated Aluminium Dome Tweeter 5.25" Glass Fibre Woofer Overall Dimensions: 314mm (H) x 190mm (W) x 243mm (D) (includes grille and SVS Multi-Angle Wall Bracket)</p>				
<p>Ultra Evolution Nano, Black Ash, Piano Gloss Black, Piano Gloss White pair</p>			£915.83	£1,099.00



RETAIL Price List - Valid From June 2026

			RETAIL ex VAT	RETAIL inc VAT
--	--	--	------------------	-------------------

SVS Prime Series Speakers

Consisting of Pinnacle, Elevation, Bookshelf, Tower, Centre and Satellite models, the Prime Series is SVS' second full-range speaker family offering. SVS has combined knowledge gained from developing the award-winning Ultra Series with new engineering and form factor changes to achieve flagship performance, features and specifications from the Prime Series at mainstream prices. The Prime Series introduces the experience of high-end audio to a broader audience.

Prime Pinnacle (Black Ash pair)

The ultimate expression of what SVS sought to create with the Prime Series loudspeakers is epitomized in Prime Pinnacle. Audiophile refinement and musicality without sacrificing wide dynamic range, deep, effortless bass and all the excitement of a world-class loudspeaker.

Floor Standing Tower Loudspeaker

1" Aluminium Dome Tweeter:

FEA-optimized diffuser for airy and unveiled presentation, Aluminium dome for exceptional transient response

5.25" Midrange Polypropylene cone Driver:

Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

Triple 6.5" Polypropylene cone Woofers:

Long stroke motor and suspension for high output, Polypropylene cone for excellent stiffness / mass ratio and pistonic behaviour

3-way crossover with premium-grade capacitors, air-core inductors and heavy-trace printed circuit boards

Rated bandwidth: 29 Hz - 25 kHz (± 3 dB)

Nominal impedance: 8 Ω

Sensitivity: 88 dB (2.83V @ 1m full-space, 300-3kHz)

Recommended amplifier power: 20 - 300 W

5-way binding posts

Triple 2" wide-flared rear-firing ports

Cloth grille with pin / cup retention system

Dimensions (H x W x D mm): 1,044 x 203 x 353

(includes grille, feet and binding posts)

Weight (Unboxed): 25.9 kg

Black ash and piano gloss black finish options



			£1,832.50	£2,199.00
--	--	--	-----------	-----------



Prime Pinnacle (Black Gloss pair)

			£1,999.17	£2,399.00
--	--	--	-----------	-----------



RETAIL Price List - Valid From June 2026

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Elevation (Black Ash pair)</p> <p>The Prime Elevation is designed to serve in multiple roles, including use as reflected-sound elevation modules in an immersive audio system. This compact, trapezoidal speaker is primed for ceiling, on-wall, speaker stand or shelf mounting. Each speaker includes a four position bracket for easy wall and ceiling mounting.</p> <p>1" aluminium dome tweeter paired with 4.5" polypropylene mid / woofer Frequency response: 69 Hz - 25 kHz (+/- 3dB)</p> <p>PLEASE NOTE: Ceiling mounts are available FOC at time of order or £7 if ordered separately.</p>			£540.83	£649.00
				
<p>Prime Elevation (Black Gloss, White Gloss pair)</p>			£624.17	£749.00
<p>Prime Bookshelf (Black Ash pair)</p> <p>1" aluminium dome tweeter 6.5" polypropylene cone woofer SoundMatch Crossover Network: 2-way crossover 1.7" wide-flared rear-firing port Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W Dimensions (H x W x D mm): 338 x 336 x 262 (includes grille and bumper feet) Weight Unboxed: 7.0 kg</p>			£624.17	£749.00
				
<p>Prime Bookshelf (Black Gloss pair)</p>			£707.50	£849.00



RETAIL Price List - Valid From June 2026

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Tower (Black Ash pair)</p> <p>1" aluminium dome tweeter 4.5" polypropylene cone midrange driver Dual 6.5" polypropylene cone woofers SoundMatch Crossover Network: 3.5-way crossover Dual 1.7" wide-flared rear-firing ports Rated bandwidth: 30 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 87 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 250W Dimensions (H x W x D mm): 930 x 203 x 295 (includes grille and feet) Weight Unboxed: 18.2 kg</p>			£1,082.50	£1,299.00
				
<p>Prime Tower (Gloss Black pair)</p>			£1,249.17	£1,499.00
<p>Prime Centre (Black Ash each)</p> <p>1" aluminium dome tweeter 3.5" midrange driver Dual 5.25" woofers SoundMatch Crossover Network: 3-way crossover Dual 1" wide-flared rear-firing ports Rated bandwidth: 48 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 86 dB (2.83V @ 1 m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 200W Dimensions (H x W x D mm): 193 x 203 x 211 (includes grille, binding posts and bumper feet) Weight Unboxed: 9.2 kg</p>			£457.50	£549.00
				
<p>Prime Centre (Black Gloss each)</p>			£540.83	£649.00

RETAIL Price List - Valid From June 2026

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime Satellite (Black Ash pair) 1" aluminium dome tweeter 4.5" polypropylene cone woofer SoundMatch Crossover Network: 2-way crossover 1" wide-flared rear-firing port Rated bandwidth: 69 Hz - 25 kHz (+/-3 dB) Nominal impedance: 8Ω Sensitivity: 85 dB (2.83V @ 1m full-space, 300 - 3kHz) Recommended amplifier power: 20 - 150W Keyway bracket for easy and convenient wall mounting (includes extra bumper pads for wall stand-off) Dimensions (H x W x D mm): 225 x 125 x 160 (includes grille and bumper feet) Weight Unboxed: 3.0 kg</p>			£324.17	£389.00
				
<p>Prime Satellite (Black Gloss, White Gloss pair)</p>			£374.17	£449.00
<p>Prime 2.1 System (Black Ash) Complete 2.1 system featuring a pair of Prime Satellites and SB-1000 subwoofer. 2 x Prime Satellite Speakers for a complete audio system in Black Ash 1 x SB-1000, 13" subwoofer in Black Ash</p>			£832.50	£ 999.00
				
<p>Prime 2.1 System (Black Gloss, White Gloss)</p>			£957.50	£ 1,149.00

RETAIL Price List - Valid From June 2026

SVS Prime Series Speakers (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>Prime 5.1 System (Black Ash)</p> <p>Complete 5.1 system featuring five Prime Satellites and an SB-1000 subwoofer</p> <p>5 x Prime Satellite Speakers for a complete 5-channel speaker system in Black Ash, Gloss</p> <p>Black or Gloss White</p> <p>1 x SB-1000, 13" subwoofer in Black Ash, Gloss Black or Gloss White</p> <p>Upgrade to 7.1 or 9.1 with additional Prime Series Satellites for an even more immersive experience</p>			£1,124.17	£1,349.00
				
<p>Prime 5.1 System (Gloss Black, Gloss White)</p>			£1,315.83	£1,579.00
<p>Prime Wireless Pro Speaker System</p> <p>The next-gen Prime Wireless Pro system comprises a two-channel powered speaker array integrating a 200W (4 x 50W) amplifier, sophisticated 192KHz/24-bit DAC, and precisely tuned digital crossover for best-in-class dynamics, bass and clarity. The system will stream hi-res audio wirelessly via Wi-Fi, Airplay 2, and Google Cast. Bluetooth enabled, it also features HDMI, line level, optical, and ethernet inputs, and a subwoofer output. Easy control is achieved via smartphone or desktop app, IR remote, voice commands, and data rich front panel interface.</p>			£832.50	£999.00
<p>2-Channel active/passive powered stereo speaker array for pinpoint stereo imaging</p> <p>200 watt amplifier (50 watts x 4) for stunning output from compact cabinet</p> <p>Stream Hi-Res audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices Bluetooth with aptX</p> <p>HDMI, Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs, Subwoofer Output</p> <p>Control via smartphone/desktop app, front panel and IR remote.</p> <p>24-bit/192kHz DAC for ultra-high-res audio streaming</p>				

RETAIL Price List - Valid From June 2026

Prime Wireless (continued)

Prime Wireless Pro Soundbase

Smart wireless integrated amplifier: 300 watt stereo (150 watts x 2); Stream High-Resolution audio via WiFi, Airplay 2 for iPhones and iOS, Chromecast for Android phones and other devices; Spotify Connect; Bluetooth with aptX/AAC for optimal sound quality; HDMI ARC/eARC Input for Connecting Directly to TV; Line Level (RCA), Optical, 3.5mm AUX, Ethernet Inputs; Control via smartphone/desktop app, front panel, IR remote and voice; 24-bit/192kHz DAC for High-Resolution wireless streaming; 6 front panel presets for one-touch access to music services and playlists.



	RETAIL ex VAT	RETAIL inc VAT
	£665.83	£799.00

Soundpath Wireless Audio Adaptor

Add wireless connectivity to subwoofers, speakers, amplifiers and more. Transmits a pristine, full-range audio signal up to 65' at CD-quality (16-bit/48KHz) with ultra-low latency.



	£124.17	£149.00
--	---------	---------

SoundPath Multi-Band Wireless Audio Adaptor

Wirelessly connect a subwoofer, powered speakers, and more to reduce cable clutter. Switches across 46 channels between the 5.2 GHz and 5.8 GHz wireless bands for the most stable connection. Comes pre-paired, and setup takes minutes. Range 50m line of sight.



	£207.50	£ 249.00
--	---------	----------

SoundPath Speaker Level Subwoofer Adaptor

Connect a subwoofer to an amp that lacks line level RCA outputs. Steps down voltage from speaker-level to RCA line-level with no loss of fidelity and no power draw from the amplifier.



	£74.17	£89.00
--	--------	--------



SVS Auto EQ Mic

Optional external microphone for use with the SVS Auto EQ room calibration built into the SVS Subwoofer Control app. Measurements can also be taken with a smartphone's internal microphone. SVS Auto EQ is available for all 3000 R|Evolution, 5000 R|Evolution, and 17-Ultra R|Evolution subwoofers. The SVS Auto EQ MIC also includes USB-C and MFi-certified Lightning Adaptors.




	£47.92	£57.50
--	--------	--------



RETAIL Price List - Valid From June 2026

Prime Wireless (continued)			RETAIL ex VAT	RETAIL inc VAT
<p>SoundPath Isolation System</p> <p>Benefits include: Less buzz/rattle from objects in the room; Cleaner and tighter sounding bass with less floor boom and vibration; Affordable and discreet alternative to platforms and risers; Works with any brand subwoofer which accepts screw-in feet.</p>				
SVS Soundpath Feet (4 pack)			£57.50	£69.00
SVS Soundpath Feet (6 pack)			£74.17	£89.00
CABLES			RETAIL ex VAT	RETAIL inc VAT
<p>SOUNDPATH RCA INTERCONNECT CABLE</p> <p>SVS SoundPath Interconnect Cables maintain pristine signal purity and provide noise rejection under all conditions so that audio systems can reach their true performance potential. The new interconnects have a hefty, high-end feel and feature pure copper conductors with 24K gold plated brass connectors and a precisionengineered five-layer dielectric insulation system to reject RF and electromagnetic interference. Available single lengths: 1m, 2m, 3m, 5m, 8m, 12m, 15m</p>				
RCA AUDIO INTERCONNECT CABLE - 1M			£31.25	£37.50
RCA AUDIO INTERCONNECT CABLE - 2M			£35.42	£42.50
RCA AUDIO INTERCONNECT CABLE - 3M			£39.58	£47.50
RCA AUDIO INTERCONNECT CABLE - 5M			£43.75	£52.50
RCA AUDIO INTERCONNECT CABLE - 8M			£47.92	£57.50
RCA AUDIO INTERCONNECT CABLE - 12M			£56.25	£67.50
RCA AUDIO INTERCONNECT CABLE - 15M			£64.58	£77.50


RETAIL Price List - Valid From June 2026

SPEAKER CABLES			RETAIL ex VAT	RETAIL inc VAT
<p>SOUNDPATH ULTRA SPEAKER CABLE SVS SoundPath Ultra speaker cables are expertly soldered and custom terminated by hand in Ohio with choice of hand-soldered 24K gold plated copper spades, 24K gold plated copper banana plugs, or a mix of both if spades are preferred for speakers and banana terminals for amps or receivers. Available lengths: 4ft, 6ft, 8ft, 10ft, 12ft, 15ft, 20ft, 25ft, 30ft, 35ft, 40ft, 45ft, 50ft.</p> <p>PLEASE NOTE: Available as banana/banana, spade/spade or banana/spade. Please specify when ordering. Prices for single lengths</p>				
ULTRA SPEAKER CABLE 4FT 4mm banana			£48.33	£58.00
ULTRA SPEAKER CABLE 6FT 4mm banana			£50.00	£60.00
ULTRA SPEAKER CABLE 8FT 4mm banana			£52.50	£63.00
ULTRA SPEAKER CABLE 10FT 4mm banana			£55.83	£67.00
ULTRA SPEAKER CABLE 12FT 4mm banana			£60.83	£73.00
ULTRA SPEAKER CABLE 15FT 4mm banana			£66.67	£80.00
ULTRA SPEAKER CABLE 20FT 4mm banana			£70.83	£85.00
ULTRA SPEAKER CABLE 25FT 4mm banana			£75.00	£90.00
ULTRA SPEAKER CABLE 30FT 4mm banana			£80.00	£96.00
ULTRA SPEAKER CABLE 35FT 4mm banana			£86.67	£104.00
ULTRA SPEAKER CABLE 40FT 4mm banana			£90.83	£109.00
ULTRA SPEAKER CABLE 45FT 4mm banana			£95.00	£114.00
ULTRA SPEAKER CABLE 50FT 4mm banana			£98.33	£118.00
ULTRA BI WIRE SBW 10FT 4MM BANANA			£112.50	£135.00
ULTRA BI WIRE SBW 20FT 4MM BANANA			£137.50	£165.00

RETAIL Price List - Valid From June 2026

SOUNDPATH ACCESSORIES			RETAIL ex VAT	RETAIL inc VAT
<p>SVS SoundPath Ultra HDMI Cable HDMI ARC and eARC compliant. 48Gbps bandwidth supports video resolution up to 10K. Inspired engineering and premium build materials ensure vivid picture quality, breath taking sound, and a future-facing entertainment experience.</p>				
SoundPath ULTRA HDMI CABLE - 1M			£35.00	£42.00
SoundPath ULTRA HDMI CABLE - 2M			£43.33	£52.00
SoundPath ULTRA HDMI CABLE - 3M			£51.67	£62.00
<p>SVS SoundPath Digital Optical Cable Compatible with standard and high-definition devices with an optical or TOSLINK cable port, the polished monofilament design and 24K gold connectors ensure smooth transitions and efficient signal transfer for clean and pure digital audio playback.</p>				
SoundPath DIGITAL OPTICAL CABLE - 1M			£34.17	£41.00
SoundPath DIGITAL OPTICAL CABLE - 2M			£38.33	£46.00
SoundPath DIGITAL OPTICAL CABLE - 3M			£42.50	£51.00

RETAIL Price List - Valid From June 2026

SOUNDPATH ACCESSORIES			RETAIL ex VAT	RETAIL inc VAT
<p>SVS SoundPath XLR Balanced Audio Interconnects</p> <p>Pristine signal transfer for convincing and immersive audio experiences. SVS SoundPath Balanced XLR Audio cables feature 24K gold-plated pin for optimal conductivity and a five-layer insulation system to reject interference so your system always sounds its best.</p>				
SoundPath BALANCED XLR AUDIO CABLE - 1M			£44.17	£53.00
SoundPath BALANCED XLR AUDIO CABLE - 2M			£48.33	£58.00
SoundPath BALANCED XLR AUDIO CABLE - 3M			£52.50	£63.00
SoundPath BALANCED XLR AUDIO CABLE - 5M			£56.67	£68.00
SoundPath BALANCED XLR AUDIO CABLE - 8M			£60.83	£73.00
SoundPath BALANCED XLR AUDIO CABLE - 12M			£65.00	£78.00
SoundPath BALANCED XLR AUDIO CABLE - 15M			£69.17	£83.00